



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
001	Amplifiers and Comparators	AD8040	AD8040WARUZ-REEL7	14-TSSOP_4.4-4.4_MM	Quad Low Power R-R I/O Amp.	-40C to 125C
002	Amplifiers and Comparators	AD8065	AD8065WARTZ-R7	5-SOT_23-N/A	1X 145MHz FastFET amp lw noise, 5V-24V	-40C to 105C
003	Amplifiers and Comparators	AD8132	AD8132WARMZ-R7	8-MINI_SO-N/A	Low Power Diff amp, High BW, fst slw	-40C to 125C
004	Amplifiers and Comparators	AD8137	AD8137WYCPZ-R7	8-LFCSP-3X3X0.75	Low Power Diff ADC Driver	-40C to 125C
005	Amplifiers and Comparators	AD8145	AD8145WYCPZ-R7	32-LFCSP-5X5X0.85	3X diff-sngl end vid rcvr amp hgh CMRR	-40C to 105C
006	Amplifiers and Comparators	AD8202	AD8202W-KGD-R7	0-CHIP-N/A	Hgh Cmn mode Vltg Diff Amp DIE	-40C to 150C
007	Amplifiers and Comparators	AD8202	AD8202WYC-P3	0-CHIP-N/A	High Cmn mode Vltg Diff Amp (die only)	-40C to 125C
008	Amplifiers and Comparators	AD8202	AD8202WYC-P7	0-CHIP-N/A	Hgh Cmn mode Vltg Diff Amp (die only)	-40C to 125C
009	Amplifiers and Comparators	AD8202	AD8202WYRMZ	8-MINI_SO-N/A	Hgh Cmn mode Vltg Diff Amp	-40C to 125C
010	Amplifiers and Comparators	AD8202	AD8202WYRMZ-RL	8-MINI_SO-N/A	Hgh Cmn mode Vltg Diff Amp	-40C to 125C
011	Amplifiers and Comparators	AD8202	AD8202WYRZ	8-SOIC_N-150_MIL	Hgh Cmn mode Vltg Diff Amp	-40C to 125C
012	Amplifiers and Comparators	AD8202	AD8202WYRZ-RL	8-SOIC_N-150_MIL	Hgh Cmn mode Vltg Diff Amp	-40C to 125C
013	Amplifiers and Comparators	AD8205	AD8205WHRZ	8-SOIC_N-150_MIL	42V Single Supply Diff Amp	-40C to 150C
014	Amplifiers and Comparators	AD8205	AD8205WHRZ-RL	8-SOIC_N-150_MIL	42V Single Supply Diff Amp	-40C to 150C
015	Amplifiers and Comparators	AD8205	AD8205WYRZ	8-SOIC_N-150_MIL	42V Sngl Supply Diff Amp	-40C to 125C
016	Amplifiers and Comparators	AD8205	AD8205WYRZ-R7	8-SOIC_N-150_MIL	42V Sngl Supply Diff Amp	-40C to 125C
017	Amplifiers and Comparators	AD8205	AD8205WYRZ-RL	8-SOIC_N-150_MIL	42V Sngl Supply Diff Amp	-40C to 125C
018	Amplifiers and Comparators	AD8206	AD8206WHRZ	8-SOIC_N-150_MIL	Single Supply Hgh Cmn Mode Diff Amp	-40C to 150C
019	Amplifiers and Comparators	AD8206	AD8206WHRZ-RL	8-SOIC_N-150_MIL	Single Supply Hgh Cmn Mode Diff Amp	-40C to 150C
020	Amplifiers and Comparators	AD8206	AD8206WYRZ	8-SOIC_N-150_MIL	Sngl Supply Hgh Cmn Mode Diff Amp	-40C to 125C
021	Amplifiers and Comparators	AD8206	AD8206WYRZ-R7	8-SOIC_N-150_MIL	Sngl Supply Hgh Cmn Mode Diff Amp	-40C to 125C
022	Amplifiers and Comparators	AD8206	AD8206WYRZ-RL	8-SOIC_N-150_MIL	Sngl Supply Hgh Cmn Mode Diff Amp	-40C to 125C
023	Amplifiers and Comparators	AD8207	AD8207WBRZ	8-SOIC_N-150_MIL	Zero Drift High Voltage Difference Amp	-40C to 125C
024	Amplifiers and Comparators	AD8207	AD8207WBRZ-R7	8-SOIC_N-150_MIL	Zero Drift High Voltage Difference Amp	-40C to 125C
025	Amplifiers and Comparators	AD8207	AD8207WBRZ-RL	8-SOIC_N-150_MIL	Zero Drift High Voltage Difference Amp	-40C to 125C
026	Amplifiers and Comparators	AD8208	AD8208WBRMZ	8-MINI_SO-N/A	High Voltage Precision Diff Amp	-40C to 125C
027	Amplifiers and Comparators	AD8208	AD8208WBRMZ-R7	8-MINI_SO-N/A	High Voltage Precision Diff Amp	-40C to 125C
028	Amplifiers and Comparators	AD8208	AD8208WBRMZ-RL	8-MINI_SO-N/A	High Voltage Precision Diff Amp	-40C to 125C
029	Amplifiers and Comparators	AD8208	AD8208WBRZ	8-SOIC_N-150_MIL	High Voltage Precision Diff Amp	-40C to 125C
030	Amplifiers and Comparators	AD8208	AD8208WBRZ-R7	8-SOIC_N-150_MIL	High Voltage Precision Diff Amp	-40C to 125C
031	Amplifiers and Comparators	AD8208	AD8208WBRZ-RL	8-SOIC_N-150_MIL	High Voltage Precision Diff Amp	-40C to 125C
032	Amplifiers and Comparators	AD8208	AD8208WHRMZ	8-MINI_SO-N/A	HighTemp Voltage Precision DiffAmp	-40C to 150C
033	Amplifiers and Comparators	AD8208	AD8208WHRMZ-RL	8-MINI_SO-N/A	HighTemp Voltage Precision DiffAmp	-40C to 150C
034	Amplifiers and Comparators	AD8208	AD8208WHRZ	8-SOIC_N-150_MIL	High TempVoltage Precision DiffAmp	-40C to 150C
035	Amplifiers and Comparators	AD8208	AD8208WHRZ-RL	8-SOIC_N-150_MIL	High TempVoltage Precision DiffAmp	-40C to 150C
036	Amplifiers and Comparators	AD8209	AD8209WBRMZ	8-MINI_SO-N/A	Hgh Vltg Precision Diff Amp w/EMI Fltr	-40C to 125C
037	Amplifiers and Comparators	AD8209	AD8209WBRMZ-R7	8-MINI_SO-N/A	Hgh Vltg Precision Diff Amp w/EMI Fltr	-40C to 125C
038	Amplifiers and Comparators	AD8209	AD8209WBRMZ-RL	8-MINI_SO-N/A	Hgh Vltg Precision Diff Amp w/EMI Fltr	-40C to 125C
039	Amplifiers and Comparators	AD8209	AD8209WHRMZ	8-MINI_SO-N/A	HighTemp Voltage Precision DiffAmp	-40C to 150C
040	Amplifiers and Comparators	AD8209	AD8209WHRMZ-RL	8-MINI_SO-N/A	HighTemp Voltage Precision DiffAmp	-40C to 150C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
041	Amplifiers and Comparators	AD8210	AD8210WYC-P3	0-CHIP-N/A	Hi Side, Bi-dir, Curr. Shunt Monitor LF	-40C to 125C
042	Amplifiers and Comparators	AD8210	AD8210WYRZ	8-SOIC_N-150_MIL	High Vltg, 2-directional crnt shunt mntr	-40C to 125C
043	Amplifiers and Comparators	AD8210	AD8210WYRZ-R7	8-SOIC_N-150_MIL	High Vltg, 2-directional crnt shunt mntr	-40C to 125C
044	Amplifiers and Comparators	AD8210	AD8210WYRZ-RL	8-SOIC_N-150_MIL	High Vltg, 2-directional crnt shunt mntr	-40C to 125C
045	Amplifiers and Comparators	AD8211	AD8211WYRJZ-R7	5-SOT_23-N/A	High Voltage Current Shunt Amp	-40C to 125C
046	Amplifiers and Comparators	AD8211	AD8211WYRJZ-RL	5-SOT_23-N/A	High Voltage Current Shunt Amp	-40C to 125C
047	Amplifiers and Comparators	AD8212	AD8212WYRMZ	8-MINI_SO-N/A	High Vltg Current Shunt Mntr, Adj gain	-40C to 125C
048	Amplifiers and Comparators	AD8212	AD8212WYRMZ-R7	8-MINI_SO-N/A	High Vltg Current Shunt Mntr, Adj gain	-40C to 125C
049	Amplifiers and Comparators	AD8213	AD8213WHRMZ	10-MINI_SO-N/A	Dual, High Vltg, current shunt monitor	-40C to 150C
050	Amplifiers and Comparators	AD8213	AD8213WHRMZ-R7	10-MINI_SO-N/A	Dual, High Vltg, current shunt monitor	-40C to 150C
051	Amplifiers and Comparators	AD8213	AD8213WHRMZ-RL	10-MINI_SO-N/A	Dual, High Vltg, current shunt monitor	-40C to 150C
052	Amplifiers and Comparators	AD8213	AD8213WYRMZ	10-MINI_SO-N/A	Dual, High Vltg, current shunt monitor	-40C to 125C
053	Amplifiers and Comparators	AD8213	AD8213WYRMZ-R7	10-MINI_SO-N/A	Dual, High Vltg, current shunt monitor	-40C to 125C
054	Amplifiers and Comparators	AD8213	AD8213WYRMZ-RL	10-MINI_SO-N/A	Dual, High Vltg, current shunt monitor	-40C to 125C
055	Amplifiers and Comparators	AD8214	AD8214WYRMZ	8-MINI_SO-N/A	Current Shunt Threshold Detector	-40C to 125C
056	Amplifiers and Comparators	AD8214	AD8214WYRMZ-R7	8-MINI_SO-N/A	Current Shunt Threshold Detector	-40C to 125C
057	Amplifiers and Comparators	AD8214	AD8214WYRMZ-RL	8-MINI_SO-N/A	Current Shunt Threshold Detector	-40C to 125C
058	Amplifiers and Comparators	AD8215	AD8215WYRZ	8-SOIC_N-150_MIL	High Vltg+/- .3% gn err crnt shunt mntr	-40C to 125C
059	Amplifiers and Comparators	AD8215	AD8215WYRZ-R7	8-SOIC_N-150_MIL	High Vltg+/- .3% gn err crnt shunt mntr	-40C to 125C
060	Amplifiers and Comparators	AD8215	AD8215WYRZ-RL	8-SOIC_N-150_MIL	High Vltg+/- .3% gn err crnt shunt mntr	-40C to 125C
061	Amplifiers and Comparators	AD8216	AD8216WYRZ	8-SOIC_N-150_MIL	3 MHz, bi-directional 65V Diff Amp	-40C to 125C
062	Amplifiers and Comparators	AD8216	AD8216WYRZ-R7	8-SOIC_N-150_MIL	3 MHz, bi-directional 65V Diff Amp	-40C to 125C
063	Amplifiers and Comparators	AD8216	AD8216WYRZ-RL	8-SOIC_N-150_MIL	3 MHz, bi-directional 65V Diff Amp	-40C to 125C
064	Amplifiers and Comparators	AD8220	AD8220WARMZ	8-MINI_SO-N/A	FET Input Instrumentation Amplifier	-40C to 125C
065	Amplifiers and Comparators	AD8220	AD8220WARMZ-R7	8-MINI_SO-N/A	FET Input Instrumentation Amplifier	-40C to 125C
066	Amplifiers and Comparators	AD8220	AD8220WARMZ-RL	8-MINI_SO-N/A	FET Input Instrumentation Amplifier	-40C to 125C
067	Amplifiers and Comparators	AD8231	AD8231WACPZ-RL	16-LFCSP-4X4X0.85	Low Volt Low Drift Signal Condition Amp	-40C to 125C
068	Amplifiers and Comparators	AD8283	AD8283WBCPZ	72-LFCSP-10X10X0.85	Radar Receive Path AFE	-40C to 105C
069	Amplifiers and Comparators	AD8283	AD8283WBCPZ-RL	72-LFCSP-10X10X0.85	Radar Receive Path AFE	-40C to 105C
070	Amplifiers and Comparators	AD8285	AD8285WBCPZ	72-LFCSP-10X10X0.85	Radar Receive Path AFE	-40C to 105C
071	Amplifiers and Comparators	AD8285	AD8285WBCPZ-RL	72-LFCSP-10X10X0.85	Radar Receive Path AFE	-40C to 105C
072	Amplifiers and Comparators	AD8417	AD8417WBRMZ	8-MINI_SO-N/A	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 125C
073	Amplifiers and Comparators	AD8417	AD8417WBRMZ-RL	8-MINI_SO-N/A	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 125C
074	Amplifiers and Comparators	AD8417	AD8417WBRZ	8-SOIC_N-150_MIL	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 125C
075	Amplifiers and Comparators	AD8417	AD8417WBRZ-RL	8-SOIC_N-150_MIL	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 125C
076	Amplifiers and Comparators	AD8417	AD8417WHRMZ	8-MINI_SO-N/A	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 150C
077	Amplifiers and Comparators	AD8417	AD8417WHRMZ-RL	8-MINI_SO-N/A	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 150C
078	Amplifiers and Comparators	AD8417	AD8417WHRZ	8-SOIC_N-150_MIL	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 150C
079	Amplifiers and Comparators	AD8417	AD8417WHRZ-RL	8-SOIC_N-150_MIL	DMOS, CSamp, G=60, 80V, BiDir, 0 Drift	-40C to 150C
080	Amplifiers and Comparators	AD8418	AD8418WBRMZ	8-MINI_SO-N/A	Zero Drift, Precision Current Sense AMP	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
081	Amplifiers and Comparators	AD8418	AD8418WBRMZ-RL	8-MINI_SO-N/A	Zero Drift ,Precision Current Sense AMP	-40C to 125C
082	Amplifiers and Comparators	AD8418	AD8418WBRZ	8-SOIC_N-150_MIL	Zero Drift ,Precision Current Sense AMP	-40C to 125C
083	Amplifiers and Comparators	AD8418	AD8418WBRZ-RL	8-SOIC_N-150_MIL	Zero Drift ,Precision Current Sense AMP	-40C to 125C
084	Amplifiers and Comparators	AD8418A	AD8418AWBRMZ	8-MINI_SO-N/A	High Common Mode Cur Sense, -3V to 80V	-40C to 125C
085	Amplifiers and Comparators	AD8418A	AD8418AWBRMZ-RL	8-MINI_SO-N/A	High Common Mode Cur Sense, -3V to 80V	-40C to 125C
086	Amplifiers and Comparators	AD8418A	AD8418AWBRZ	8-SOIC_N-150_MIL	High Common Mode Cur Sense, -3V to 80V	-40C to 125C
087	Amplifiers and Comparators	AD8418A	AD8418AWBRZ-RL	8-SOIC_N-150_MIL	High Common Mode Cur Sense, -3V to 80V	-40C to 125C
088	Amplifiers and Comparators	AD8418A	AD8418AWHRMZ	8-MINI_SO-N/A	High Common Mode Cur Sense, -3V to 80V	-40C to 150C
089	Amplifiers and Comparators	AD8418A	AD8418AWHRMZ-RL	8-MINI_SO-N/A	High Common Mode Cur Sense, -3V to 80V	-40C to 150C
090	Amplifiers and Comparators	AD8418A	AD8418AWHRZ	8-SOIC_N-150_MIL	High Common Mode Cur Sense, -3V to 80V	-40C to 150C
091	Amplifiers and Comparators	AD8418A	AD8418AWHRZ-RL	8-SOIC_N-150_MIL	High Common Mode Cur Sense, -3V to 80V	-40C to 150C
092	Amplifiers and Comparators	AD8465	AD8465WBCPZ-R7	12-LFCSP-3X3X0.85	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	-40C to 125C
093	Amplifiers and Comparators	AD8465	AD8465WBCPZ-WP	12-LFCSP-3X3X0.85	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	-40C to 125C
094	Amplifiers and Comparators	AD8469	AD8469WBRMZ	8-MINI_SO-N/A	RRI Single Channel, TTL/CMOS Out COMPTR	-40C to 125C
095	Amplifiers and Comparators	AD8469	AD8469WBRMZ-RL	8-MINI_SO-N/A	RRI Single Channel, TTL/CMOS Out COMPTR	-40C to 125C
096	Amplifiers and Comparators	AD8538	AD8538WAUJZ-R7	5-TSOT-N/A	Single Low Power AutoZero Amp	-40C to 125C
097	Amplifiers and Comparators	AD8544	AD8544WARZ-R7	14-SOIC_N-150_MIL	QUAD, LOW PWR RAIL/RAIL	-40C to 125C
098	Amplifiers and Comparators	AD8566	AD8566WARMZ-REEL	8-MINI_SO-N/A	DUAL 16V 35mA CBCMOS AMPLIFIER	-40C to 85C
099	Amplifiers and Comparators	AD8601	AD8601WARTZ-R7	5-SOT_23-N/A	Single, Lw Cst, 8MHz, RRI	-40C to 125C
100	Amplifiers and Comparators	AD8601	AD8601WDRTZ-REEL7	5-SOT_23-N/A	Single, Lw Cst, 8MHz, RRIO, 5V OpAmp	-40C to 125C
101	Amplifiers and Comparators	AD8602	AD8602WARZ-R7	8-SOIC_N-150_MIL	Precision CMOS R-R OPAMP	-40C to 125C
102	Amplifiers and Comparators	AD8602	AD8602WARZ-RL	8-SOIC_N-150_MIL	Precision CMOS R-R OPAMP	-40C to 125C
103	Amplifiers and Comparators	AD8617	AD8617WARMZ-REEL	8-MINI_SO-N/A	2X,MicronPower, Lw Cst, RRIO, 5V OpAmp	-40C to 125C
104	Amplifiers and Comparators	AD8617	AD8617WARZ-R7	8-SOIC_N-150_MIL	2X,MicronPower,Lw Cst,RRIO,5V OpAmp	-40C to 125C
105	Amplifiers and Comparators	AD8619	AD8619WARUZ-R7	14-TSSOP_4.4-4.4_MM	Low Voltage Low Pwr CMOS OPAMP	-40C to 125C
106	Amplifiers and Comparators	AD8619	AD8619WARUZ-RL	14-TSSOP_4.4-4.4_MM	Low Voltage Low Pwr CMOS OPAMP	-40C to 125C
107	Amplifiers and Comparators	AD8628	AD8628WARTZ-R7	5-SOT_23-N/A	Single, Zero drift, RRIO, 5V OpAmp	-40C to 125C
108	Amplifiers and Comparators	AD8628	AD8628WARTZ-RL	5-SOT_23-N/A	Single, Zero drift, RRIO, 5V OpAmp	-40C to 125C
109	Amplifiers and Comparators	AD8628	AD8628WARZ-R7	8-SOIC_N-150_MIL	Single, Zero drift, RRIO, 5V OpAmp	-40C to 125C
110	Amplifiers and Comparators	AD8628	AD8628WARZ-RL	8-SOIC_N-150_MIL	Single, Zero drift, RRIO, 5V OpAmp	-40C to 125C
111	Amplifiers and Comparators	AD8628	AD8628WAUJZ-R7	5-TSOT-N/A	Single, Zero drift, RRIO, 5V OpAmp	-40C to 125C
112	Amplifiers and Comparators	AD8628	AD8628WAUJZ-RL	5-TSOT-N/A	Single, Zero drift, RRIO, 5V OpAmp	-40C to 125C
113	Amplifiers and Comparators	AD8629	AD8629WARZ-R7	8-SOIC_N-150_MIL	Dual, Zero drift, RRIO, 5V OpAmp	-40C to 125C
114	Amplifiers and Comparators	AD8629	AD8629WARZ-RL	8-SOIC_N-150_MIL	Dual, Zero drift, RRIO, 5V OpAmp	-40C to 125C
115	Amplifiers and Comparators	AD8630	AD8630WARZ-R7	14-SOIC_N-150_MIL	Quad, Zero drift, RRIO, 5V Op Amp	-40C to 125C
116	Amplifiers and Comparators	AD8630	AD8630WARZ-RL	14-SOIC_N-150_MIL	Quad, Zero drift, RRIO, 5V Op Amp	-40C to 125C
117	Amplifiers and Comparators	AD8639	AD8639WARZ	8-SOIC_N-150_MIL	Dual, Zero drift, RRIO, 16V Op Amp	-40C to 125C
118	Amplifiers and Comparators	AD8639	AD8639WARZ-R7	8-SOIC_N-150_MIL	Dual, Zero drift, RRIO, 16V Op Amp	-40C to 125C
119	Amplifiers and Comparators	AD8639	AD8639WARZ-RL	8-SOIC_N-150_MIL	Dual, Zero drift, RRIO, 16V Op Amp	-40C to 125C
120	Amplifiers and Comparators	AD8646	AD8646WARMZ-R7	8-MINI_SO-N/A	Dual, 24MHz, RRIO, 5V Op Amp	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
121	Amplifiers and Comparators	AD8646	AD8646WARZ-R7	8-SOIC_N-150_MIL	Dual, 24MHz, RRIO, 5V Op	-40C to 125C
122	Amplifiers and Comparators	AD8648	AD8648WARUZ	14-TSSOP_4.4-4.4_MM	Quad, 24MHz, RRIO, 5V Op Amp	-40C to 125C
123	Amplifiers and Comparators	AD8648	AD8648WARUZ-RL	14-TSSOP_4.4-4.4_MM	Quad, 24MHz, RRIO, 5V Op Amp	-40C to 125C
124	Amplifiers and Comparators	AD8655	AD8655WARMZ-RL	8-MINI_SO-N/A	Low Noise, R-R out, DigTrim Cmos Op Amp	-40C to 125C
125	Amplifiers and Comparators	AD8656	AD8656WARMZ-REEL	8-MINI_SO-N/A	2X, Lw Noise, Prcsn, RRIO, 5V Op Amp	-40C to 125C
126	Amplifiers and Comparators	AD8666	AD8666WARZ-R7	8-SOIC_N-150_MIL	Dual LowCostNoise 16V R-R CMOS Amp	-40C to 125C
127	Amplifiers and Comparators	AD8668	AD8668WARUZ-R7	14-TSSOP_4.4-4.4_MM	16V Quad Low Noise AMP	-40C to 125C
128	Amplifiers and Comparators	AD8691	AD8691WAUJZ-R7	5-TSOT-N/A	Single Low Noise CMOS Amplifier	-40C to 125C
129	Amplifiers and Comparators	AD8691	AD8691WAUJZ-RL	5-TSOT-N/A	Single Low Noise CMOS Amplifier	-40C to 125C
130	Amplifiers and Comparators	AD8692	AD8692WARMZ-REEL	8-MINI_SO-N/A	DUAL, PRECISION CMOS RAIL-RAIL OP AMP	-40C to 125C
131	Amplifiers and Comparators	AD8694	AD8694WARUZ	14-TSSOP_4.4-4.4_MM	4X Lw Noise, Lw Cst, R/R Out, 5V Op Amp	-40C to 125C
132	Amplifiers and Comparators	AD8694	AD8694WARUZ-REEL	14-TSSOP_4.4-4.4_MM	4X Lw Noise, Lw Cst, RRIO, 5V Op Amp	-40C to 125C
133	Amplifiers and Comparators	ADA4096-2	ADA4096-2WARMZ-R7	8-MINI_SO-N/A	30V, Micropower, OVP, RRIO OpAmp	-40C to 125C
134	Amplifiers and Comparators	ADA4096-2	ADA4096-2WARMZ-RL	8-MINI_SO-N/A	30V, Micropower, OVP, RRIO OpAmp	-40C to 125C
135	Amplifiers and Comparators	ADA4432-1	ADA4432-1WBPCZ-R7	8-LFCSP-3X3X0.75	High Spd Shrt Bat. Protect Video Filter	-40C to 125C
136	Amplifiers and Comparators	ADA4432-1	ADA4432-1WBRJZ-R7	6-SOT_23-N/A	High Spd Shrt Bat. Protect Video Filter	-40C to 125C
137	Amplifiers and Comparators	ADA4433-1	ADA4433-1WBPCZ-R7	8-LFCSP-3X3X0.75	High Spd Shrt Bat. Protect Video Filter	-40C to 125C
138	Amplifiers and Comparators	ADA4571	ADA4571WHRZ-R7	8-SOIC_N-150_MIL	AMR MAGNETIC SENSOR	-40C to 150C
139	Amplifiers and Comparators	ADA4830-1	ADA4830-1WBPCZ-R7	8-LFCSP-3X3X0.75	HighSpd Shrt Bat.Protect Video Filter	-40C to 125C
140	Amplifiers and Comparators	ADA4830-2	ADA4830-2WBPCZ-R7	16-LFCSP-3X3X0.75	High Spd 18V Shrt Bat Protected Diff AMP	-40C to 125C
141	Amplifiers and Comparators	ADA4851-1	ADA4851-1WYRJZ-R7	6-SOT_23-N/A	Sngl, lw cst, high spd 130MHz amp R/R	-40C to 125C
142	Amplifiers and Comparators	ADA4851-2	ADA4851-2WYRMZ-R7	8-MINI_SO-N/A	2X, lw cst, high spd amp 130MHz R/R out	-40C to 125C
143	Amplifiers and Comparators	ADA4851-4	ADA4851-4WYRUZ-R7	14-TSSOP_4.4-4.4_MM	4X, lw cst, high spd amp 130MHz R/R out	-40C to 125C
144	Amplifiers and Comparators	ADA4853-3	ADA4853-3WYCPZ-R7	16-LFCSP-3X3X0.85	R/R OTPT Vid OpAmp w/Ultra LPDis	-40C to 105C
145	Amplifiers and Comparators	ADA4891-1	ADA4891-1WARJZ-R7	5-SOT_23-N/A	High Spd CMOS RR Video Amp	-40C to 125C
146	Amplifiers and Comparators	ADA4891-2	ADA4891-2WARMZ-R7	8-MINI_SO-N/A	High Spd CMOS RR Video Amp	-40C to 125C
147	Amplifiers and Comparators	ADA4891-4	ADA4891-4WARUZ-R7	14-TSSOP_4.4-4.4_MM	Lw Cst CMOS Hgh Spd RR Amp Quad	-40C to 125C
148	Analog Microcontrollers	ADUC7039	ADUC7039WBPCZ	32-LFCSP-6X6X0.95	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	-40C to 115C
149	Analog Microcontrollers	ADUC7039	ADUC7039WBPCZ-RL	32-LFCSP-6X6X0.95	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	-40C to 115C
150	Analog to Digital Converters	AD1933	AD1933WBSTZ	64-LQFP-10X10X1.4	8 CHAudio DAC w/on chip PLL/Diff output	-40C to 105C
151	Analog to Digital Converters	AD1933	AD1933WBSTZ-RL	64-LQFP-10X10X1.4	8 CHAudio DAC w/on chip PLL/Diff output	-40C to 105C
152	Analog to Digital Converters	AD2S1205	ADW71205WSTZ	44-LQFP-10X10X1.4	12-bit, 1000RPS Resolver-Digital Convert	-40C to 125C
153	Analog to Digital Converters	AD2S1205	ADW71205WSTZ-RL	44-LQFP-10X10X1.4	12-bit, 1000RPS Resolver-Digital Convert	-40C to 125C
154	Analog to Digital Converters	AD2S1205	ADW71205YSTZ	44-LQFP-10X10X1.4	12-bit, 1000RPS Resolver-Digital Convert	-40C to 125C
155	Analog to Digital Converters	AD2S1210	AD2S1210WDSTZ	48-LQFP-7X7X1.4	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	-40C to 125C
156	Analog to Digital Converters	AD2S1210	AD2S1210WDSTZRL7	48-LQFP-7X7X1.4	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	-40C to 125C
157	Analog to Digital Converters	AD5933	AD5933WYRSZ-REEL7	16-SSOP-5.30_MM	12bit 1 MSPS, Impedance Converter	-40C to 125C
158	Analog to Digital Converters	AD7147	AD7147WPACPZ-1500R	24-LFCSP-4X4X0.85	Capacitance to Digital Converter	-40C to 85C
159	Analog to Digital Converters	AD7147	AD7147WPACPZ-1RL	24-LFCSP-4X4X0.85	Capacitance to Digital Converter	-40C to 85C
160	Analog to Digital Converters	AD7147	AD7147WPACPZ-500R7	24-LFCSP-4X4X0.85	Capacitance to Digital Converter	-40C to 85C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
161	Analog to Digital Converters	AD7147	AD7147WPACPZ-RL	24-LFCSP-4X4X0.85	Capacitance to Digital Converter	-40C to 85C
162	Analog to Digital Converters	AD7190	AD7190WBRUZ	24-TSSOP_4.4-4.4_MM	2ch UltraLow Noise 24Bit Sigma Delta/PGA	-40C to 105C
163	Analog to Digital Converters	AD7190	AD7190WBRUZ-RL	24-TSSOP_4.4-4.4_MM	2ch UltraLow Noise 24Bit Sigma Delta/PGA	-40C to 105C
164	Analog to Digital Converters	AD723	AD723WARUZ-RL7	28-TSSOP_4.4-4.4_MM	Analog RGB to NTSC/PAL Video Encoder	-40C to 85C
165	Analog to Digital Converters	AD7357	AD7357WYRUZ	16-TSSOP_4.4-4.4_MM	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	-40C to 125C
166	Analog to Digital Converters	AD7357	AD7357WYRUZ-RL	16-TSSOP_4.4-4.4_MM	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	-40C to 125C
167	Analog to Digital Converters	AD7476A	AD7476AWYRMZ	8-MINI_SO-N/A	12-Bit Low Voltage, low power ADC I.C.	-40C to 125C
168	Analog to Digital Converters	AD7476A	AD7476AWYRMZ-RL7	8-MINI_SO-N/A	12-Bit Low Voltage, low power ADC I.C.	-40C to 125C
169	Analog to Digital Converters	AD7477A	AD7477AWARMZ	8-MINI_SO-N/A	10-Bit Low Power ADC in uSOIC Pkg I.C	-40C to 85C
170	Analog to Digital Converters	AD7477A	AD7477AWARMZ-RL	8-MINI_SO-N/A	10-Bit Low Power ADC in uSOIC Pkg I.C	-40C to 85C
171	Analog to Digital Converters	AD7478A	AD7478AWARMZ	8-MINI_SO-N/A	8-Bit Low Power ADC in uSOIC Pkg I.C	-40C to 85C
172	Analog to Digital Converters	AD7478A	AD7478AWARMZ-RL	8-MINI_SO-N/A	8-Bit Low Power ADC in uSOIC Pkg I.C	-40C to 85C
173	Analog to Digital Converters	AD7812	AD7812WYRUZ	20-TSSOP_4.4-4.4_MM	8 CH. 10-BIT Analog-Digital Converter	-40C to 105C
174	Analog to Digital Converters	AD7812	AD7812WYRUZ-RL	20-TSSOP_4.4-4.4_MM	8 CH. 10-BIT Analog-Digital Converter	-40C to 105C
175	Analog to Digital Converters	AD7877	AD7877WACPZ-REEL7	32-LFCSP-5X5X0.85	Touch Screen Digitizer with Dac I.C.	-40C to 85C
176	Analog to Digital Converters	AD7879	AD7879-1WACPZ-RL	16-LFCSP-4X4X0.85	Touch Screen Controller	-40C to 85C
177	Analog to Digital Converters	AD7879	AD7879-1WACPZ-RL7	16-LFCSP-4X4X0.85	Touch Screen Controller	-40C to 85C
178	Analog to Digital Converters	AD7879	AD7879-1WARUZ-RL	16-TSSOP_4.4-4.4_MM	Touch Screen Controller	-40C to 85C
179	Analog to Digital Converters	AD7879	AD7879-1WARUZ-RL7	16-TSSOP_4.4-4.4_MM	Touch Screen Controller	-40C to 85C
180	Analog to Digital Converters	AD7879	AD7879WACPZ-R5	16-LFCSP-4X4X0.85	Touch Screen Controller	-40C to 85C
181	Analog to Digital Converters	AD7879	AD7879WACPZ-RL	16-LFCSP-4X4X0.85	Touch Screen Controller	-40C to 85C
182	Analog to Digital Converters	AD7879	AD7879WARUZ-RL	16-TSSOP_4.4-4.4_MM	Touch Screen Controller	-40C to 85C
183	Analog to Digital Converters	AD7879	AD7879WARUZ-RL7	16-TSSOP_4.4-4.4_MM	Touch Screen Controller	-40C to 85C
184	Analog to Digital Converters	AD7887	AD7887WARMZ	8-MINI_SO-N/A	2 CHANNEL, SERIAL 12-BIT ADC I.C.	-40C to 125C
185	Analog to Digital Converters	AD7904	AD7904WYRUZ-REEL7	16-TSSOP_4.4-4.4_MM	8-Bit 4,CH 1 Msps Analog-Digital Conv	-40C to 125C
186	Analog to Digital Converters	AD7908	AD7908WYRUZ-REEL7	20-TSSOP_4.4-4.4_MM	8-Bit 8, Ch 1 Msps Analog-Digital Conv	-40C to 125C
187	Analog to Digital Converters	AD7914	AD7914WYRUZ-REEL7	16-TSSOP_4.4-4.4_MM	10-Bit 4,CH 1 Msps ADC I.C.	-40C to 125C
188	Analog to Digital Converters	AD7918	AD7918WYRUZ-REEL7	20-TSSOP_4.4-4.4_MM	10-Bit 8, Ch 1 Msps Analog-Digital Conv	-40C to 125C
189	Analog to Digital Converters	AD7923	AD7923WYRUZ-REEL7	16-TSSOP_4.4-4.4_MM	12-BIT 4,Ch 200 Ksps ADC I.C.	-40C to 125C
190	Analog to Digital Converters	AD7924	AD7924WYRUZ-REEL7	16-TSSOP_4.4-4.4_MM	12-Bit 4,CH 1 Msps ADC I.C.	-40C to 125C
191	Analog to Digital Converters	AD7927	AD7927WYRUZ-REEL7	20-TSSOP_4.4-4.4_MM	12-BIT 8,Ch 200 Ksps Analog-Digital Conv	-40C to 85C
192	Analog to Digital Converters	AD7928	AD7928WBRUZ-REEL	20-TSSOP_4.4-4.4_MM	12-Bit 8, Ch 1 Msps Analog-Digital Conv	-40C to 125C
193	Analog to Digital Converters	AD8284	AD8284WCSVZ	64-TQFP_EP-10X10X1.0	4-Ch Muxed Input Radar Analog Front End	-40C to 105C
194	Analog to Digital Converters	AD8284	AD8284WCSVZ-RL	64-TQFP_EP-10X10X1.0	4-Ch Muxed Input Radar Analog Front End	-40C to 105C
195	Analog to Digital Converters	AD9203	AD9203WARUZ	28-TSSOP_4.4-4.4_MM	10-bit, low power 40MSPS ADC	-40C to 85C
196	Analog to Digital Converters	AD9203	AD9203WARUZRL7	28-TSSOP_4.4-4.4_MM	10-bit, low power 40MSPS ADC	-40C to 85C
197	Analog to Digital Converters	ADAR7251	ADAR7251WBSCZ	48-LFCSP_SS-7X7X0.75	4CH16-bit ADC w PGA	-40C to 125C
198	Analog to Digital Converters	ADAR7251	ADAR7251WBSCZ-RL	48-LFCSP_SS-7X7X0.75	4CH16-bit ADC w PGA	-40C to 125C
199	Audio/Video Products	AD1934	AD1934WBSTZ	48-LQFP-7X7X1.4	8 CH DAC w/on chip PLL	-40C to 105C
200	Audio/Video Products	AD1934	AD1934WBSTZ-RL	48-LQFP-7X7X1.4	8 CH DAC w/on chip PLL	-40C to 105C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
201	Audio/Video Products	AD1937	AD1937WBSTZ	64-LQFP-10X10X1.4	4ADCs/8DACs w/PLL 192 kHz, 24Bt Codec	-40C to 125C
202	Audio/Video Products	AD1937	AD1937WBSTZ-RL	64-LQFP-10X10X1.4	4ADCs/8DACs w/PLL 192 kHz, 24Bt Codec	-40C to 125C
203	Audio/Video Products	AD1938	AD1938WBSTZ	48-LQFP-7X7X1.4	4-ADC 8-DAC Audio codec w/on chip PLL	-40C to 105C
204	Audio/Video Products	AD1938	AD1938WBSTZ-RL	48-LQFP-7X7X1.4	4-ADC 8-DAC Audio codec w/on chip PLL	-40C to 105C
205	Audio/Video Products	AD1939	AD1939WBSTZ	64-LQFP-10X10X1.4	4-ADC 8-DAC Audio codec w/on chip PLL	-40C to 105C
206	Audio/Video Products	AD1939	AD1939WBSTZ-RL	64-LQFP-10X10X1.4	4-ADC 8-DAC Audio codec w/on chip PLL	-40C to 105C
207	Audio/Video Products	AD1974	AD1974WBSTZ	48-LQFP-7X7X1.4	4 Channel ADC with On-Chip PLL	-40C to 105C
208	Audio/Video Products	AD1974	AD1974WBSTZ-RL	48-LQFP-7X7X1.4	4 Channel ADC with On-Chip PLL	-40C to 105C
209	Audio/Video Products	ADA4430-1	ADA4430-1WVRTZ-R7	6-SOT_23-N/A	Low Pwr Comp Video Filter w/ULP Disable	-40C to 125C
210	Audio/Video Products	ADAU1401A	ADAU1401AWBSTZ	48-LQFP-7X7X1.4	SigmaDSP 28-/56-Bit Audio Processor	-40C to 105C
211	Audio/Video Products	ADAU1401A	ADAU1401AWBSTZ-RL	48-LQFP-7X7X1.4	SigmaDSP 28-/56-Bit Audio Processor	-40C to 105C
212	Audio/Video Products	ADAU1450	ADAU1450WBCPZ	72-LFCSP-10X10X0.85	IC.,SigmaDSP 150MHz Audio Processor	-40C to 105C
213	Audio/Video Products	ADAU1450	ADAU1450WBCPZ-RL	72-LFCSP-10X10X0.85	IC.,SigmaDSP 150MHz Audio Processor	-40C to 105C
214	Audio/Video Products	ADAU1451	ADAU1451WBCPZ	72-LFCSP-10X10X0.85	IC.,SigmaDSP 300MHz Audio Processor	-40C to 105C
215	Audio/Video Products	ADAU1451	ADAU1451WBCPZ-RL	72-LFCSP-10X10X0.85	IC.,SigmaDSP 300MHz Audio Processor	-40C to 105C
216	Audio/Video Products	ADAU1452	ADAU1452WBCPZ	72-LFCSP-10X10X0.85	300 MHz 32bit SigmaDSP Audio Processor	-40C to 105C
217	Audio/Video Products	ADAU1452	ADAU1452WBCPZ-RL	72-LFCSP-10X10X0.85	300 MHz 32bit SigmaDSP Audio Processor	-40C to 105C
218	Audio/Video Products	ADAU1961	ADAU1961WBCPZ	32-LFCSP-5X5X0.85	24-bit Stereo Audio Codec	-40C to 105C
219	Audio/Video Products	ADAU1961	ADAU1961WBCPZ-R7	32-LFCSP-5X5X0.85	24-bit Stereo Audio Codec	-40C to 105C
220	Audio/Video Products	ADAU1961	ADAU1961WBCPZ-RL	32-LFCSP-5X5X0.85	24-bit Stereo Audio Codec	-40C to 105C
221	Audio/Video Products	ADAU1962A	ADAU1962AWBSTZ	80-LQFP-14X14X1.4	High Performance 12 chnl Audio DAC	-40C to 105C
222	Audio/Video Products	ADAU1962A	ADAU1962AWBSTZ-RL	80-LQFP-14X14X1.4	High Performance 12 chnl Audio DAC	-40C to 105C
223	Audio/Video Products	ADAU1966	ADAU1966WBSTZ	80-LQFP-14X14X1.4	High Performance 16 DAC	-40C to 105C
224	Audio/Video Products	ADAU1966	ADAU1966WBSTZRL	80-LQFP-14X14X1.4	High Performance 16 DAC	-40C to 105C
225	Audio/Video Products	ADAU1966A	ADAU1966AWBSTZ	80-LQFP-14X14X1.4	High Performance 16 chnl Audio DAC	-40C to 105C
226	Audio/Video Products	ADAU1966A	ADAU1966AWBSTZ-RL	80-LQFP-14X14X1.4	High Performance 16 chnl Audio DAC	-40C to 105C
227	Audio/Video Products	ADAU1977	ADAU1977WBCPZ	40-LFCSP-6X6X0.75	Hi Perf Quad-ADC for Voice/ANCMicrophone	-40C to 105C
228	Audio/Video Products	ADAU1977	ADAU1977WBCPZ-R7	40-LFCSP-6X6X0.75	Hi Perf Quad-ADC for Voice/ANCMicrophone	-40C to 105C
229	Audio/Video Products	ADAU1977	ADAU1977WBCPZ-RL	40-LFCSP-6X6X0.75	Hi Perf Quad-ADC for Voice/ANCMicrophone	-40C to 105C
230	Audio/Video Products	ADAU1978	ADAU1978WBCPZ	40-LFCSP-6X6X0.75	Hi Perf Quad-ADC for Voice/ANCMicrophone	-40C to 105C
231	Audio/Video Products	ADAU1978	ADAU1978WBCPZ-RL	40-LFCSP-6X6X0.75	Hi Perf Quad-ADC for Voice/ANCMicrophone	-40C to 105C
232	Audio/Video Products	ADAU1979	ADAU1979WBCPZ	40-LFCSP-6X6X0.75	Hi Perf Quad-ADC with 4vrms input level	-40C to 105C
233	Audio/Video Products	ADAU1979	ADAU1979WBCPZ-RL	40-LFCSP-6X6X0.75	Hi Perf Quad-ADC with 4vrms input level	-40C to 105C
234	Audio/Video Products	ADV7125	ADV7125WBCPZ170	48-LFCSP-7X7X0.85	5V Triple Video DAC, 170MHz	-40C to 85C
235	Audio/Video Products	ADV7125	ADV7125WBCPZ170-RL	48-LFCSP-7X7X0.85	5V Triple Video DAC, 170MHz	-40C to 85C
236	Audio/Video Products	ADV7125	ADV7125WBSTZ170	48-LQFP-7X7X1.4	5V Triple Video DAC, 170MHz	-40C to 85C
237	Audio/Video Products	ADV7125	ADV7125WBSTZ170-RL	48-LQFP-7X7X1.4	5V Triple Video DAC, 170MHz	-40C to 85C
238	Audio/Video Products	ADV7171	ADV7171WBSZ-REEL	44-MQFP-10X10X2.0(+3.2)	ADVANCED NTSC/PAL ENCODER I.C.	-40C to 85C
239	Audio/Video Products	ADV7179	ADV7179WBCPZ	40-LFCSP-6X6X0.85	Chip Scale NTSC/PAL Vid Encoder APM I.C.	-40C to 85C
240	Audio/Video Products	ADV7179	ADV7179WBCPZ-REEL	40-LFCSP-6X6X0.85	Chip Scale NTSC/PAL Vid Encoder APM I.C.	-40C to 85C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
241	Audio/Video Products	ADV7180	ADV7180WBCP32Z	32-LFCSP-5X5X0.75	10-bit 4x Oversampling SDTV Decoder	-40C to 85C
242	Audio/Video Products	ADV7180	ADV7180WBCP32Z-RL	32-LFCSP-5X5X0.75	10-bit 4x Oversampling SDTV Decoder	-40C to 85C
243	Audio/Video Products	ADV7180	ADV7180WBCPZ	40-LFCSP-6X6X0.85	10-bit 4x Oversampling SDTV Decoder	-40C to 125C
244	Audio/Video Products	ADV7180	ADV7180WBCPZ-REEL	40-LFCSP-6X6X0.85	10-bit 4x Oversampling SDTV Decoder	-40C to 125C
245	Audio/Video Products	ADV7180	ADV7180WBST48Z	48-LQFP-7X7X1.4	10-bit 4x Oversampling SDTV Decoder	-40C to 85C
246	Audio/Video Products	ADV7180	ADV7180WBST48Z-RL	48-LQFP-7X7X1.4	10-bit 4x Oversampling SDTV Decoder	-40C to 85C
247	Audio/Video Products	ADV7180	ADV7180WBSTZ	64-LQFP-10X10X1.4	10-bit 4x Oversampling SDTV Decoder	-40C to 125C
248	Audio/Video Products	ADV7180	ADV7180WBSTZ-REEL	64-LQFP-10X10X1.4	10-bit 4x Oversampling SDTV Decoder	-40C to 125C
249	Audio/Video Products	ADV7181C	ADV7181CWBSTZ	64-LQFP-10X10X1.4	10-bit SD/HD Decoder in 64-pin PKG	-40C to 85C
250	Audio/Video Products	ADV7181C	ADV7181CWBSTZ-REEL	64-LQFP-10X10X1.4	10-bit SD/HD Decoder in 64-pin PKG	-40C to 85C
251	Audio/Video Products	ADV7181D	ADV7181DWBCPZ	64-LFCSP-9X9X0.85	10-bit SD/HD Video Decoder	-40C to 85C
252	Audio/Video Products	ADV7181D	ADV7181DWBCPZ-RL	64-LFCSP-9X9X0.85	10-bit SD/HD Video Decoder	-40C to 85C
253	Audio/Video Products	ADV7182	ADV7182WBCPZ	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
254	Audio/Video Products	ADV7182	ADV7182WBCPZ-RL	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
255	Audio/Video Products	ADV7186	ADV7186WBBCZ	196-CSP_BGA-12X12_MM	Video Decoder and Display Processor	-40C to 85C
256	Audio/Video Products	ADV7186	ADV7186WBBCZ-RL	196-CSP_BGA-12X12_MM	Video Decoder and Display Processor	-40C to 85C
257	Audio/Video Products	ADV7186	ADV7186WBBCZ-T	196-CSP_BGA-12X12_MM	Video Decoder and Display Processor	-40C to 85C
258	Audio/Video Products	ADV7186	ADV7186WBBCZ-T-RL	196-CSP_BGA-12X12_MM	Video Decoder and Display Processor	-40C to 85C
259	Audio/Video Products	ADV7186	ADV7186WBBCZ-TL	196-CSP_BGA-12X12_MM	Video Decoder and Display Processor	-40C to 85C
260	Audio/Video Products	ADV7186	ADV7186WBBCZ-TL-RL	196-CSP_BGA-12X12_MM	Video Decoder and Display Processor	-40C to 85C
261	Audio/Video Products	ADV7280	ADV7280WBCPZ	32-LFCSP-5X5X0.75	10-bit SD Video Decoder	-40C to 105C
262	Audio/Video Products	ADV7280	ADV7280WBCPZ-M	32-LFCSP-5X5X0.75	10-bit SD Video Decoder	-40C to 105C
263	Audio/Video Products	ADV7280	ADV7280WBCPZ-M-RL	32-LFCSP-5X5X0.75	10-bit SD Video Decoder	-40C to 105C
264	Audio/Video Products	ADV7280	ADV7280WBCPZ-RL	32-LFCSP-5X5X0.75	10-bit SD Video Decoder	-40C to 105C
265	Audio/Video Products	ADV7281	ADV7281WBCPZ	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder w/ I2P Out	-40C to 105C
266	Audio/Video Products	ADV7281	ADV7281WBCPZ-M	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
267	Audio/Video Products	ADV7281	ADV7281WBCPZ-M-RL	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
268	Audio/Video Products	ADV7281	ADV7281WBCPZ-MA	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
269	Audio/Video Products	ADV7281	ADV7281WBCPZ-MA-RL	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
270	Audio/Video Products	ADV7281	ADV7281WBCPZ-RL	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder w/ I2P Out	-40C to 105C
271	Audio/Video Products	ADV7282	ADV7282WBCPZ	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder w/ I2P Out	-40C to 105C
272	Audio/Video Products	ADV7282	ADV7282WBCPZ-M	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
273	Audio/Video Products	ADV7282	ADV7282WBCPZ-M-RL	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder	-40C to 105C
274	Audio/Video Products	ADV7282	ADV7282WBCPZ-RL	32-LFCSP-5X5X0.75	10-bit SD Diff Video Decoder w/ I2P Out	-40C to 105C
275	Audio/Video Products	ADV7283	ADV7283WBCPZ	32-LFCSP-5X5X0.75	10-bit SD Video Decoder	-40C to 105C
276	Audio/Video Products	ADV7283	ADV7283WBCPZ-RL	32-LFCSP-5X5X0.75	10-bit SD Video Decoder	-40C to 105C
277	Audio/Video Products	ADV7390	ADV7390WBCPZ	32-LFCSP-5X5X0.75	3 DAC 10-bit HDTV Video Encoder	-40C to 105C
278	Audio/Video Products	ADV7390	ADV7390WBCPZ-RL	32-LFCSP-5X5X0.75	3 DAC 10-bit HDTV Video Encoder	-40C to 105C
279	Audio/Video Products	ADV7391	ADV7391WBCPZ	32-LFCSP-5X5X0.75	3 DAC 10-bit HDTV Video Encoder	-40C to 105C
280	Audio/Video Products	ADV7391	ADV7391WBCPZ-RL	32-LFCSP-5X5X0.75	3 DAC 10-bit HDTV Video Encoder	-40C to 105C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
281	Audio/Video Products	ADV7392	ADV7392WBCPZ	40-LFCSP-6X6X0.85	3 DAC 10-bit HDTV Video Encoder	-40C to 85C
282	Audio/Video Products	ADV7392	ADV7392WBCPZ-REEL	40-LFCSP-6X6X0.85	3 DAC 10-bit HDTV Video Encoder	-40C to 85C
283	Audio/Video Products	ADV7393	ADV7393WBCPZ	40-LFCSP-6X6X0.85	3 DAC 10-bit HDTV Video Encoder	-40C to 85C
284	Audio/Video Products	ADV7393	ADV7393WBCPZ-REEL	40-LFCSP-6X6X0.85	3 DAC 10-bit HDTV Video Encoder	-40C to 85C
285	Audio/Video Products	ADV7401	ADV7401WBSTZ-110	100-LQFP-14X14X1.4	10-bit HD Video Decoder w/OSD & TTX	-40C to 85C
286	Audio/Video Products	ADV7480	ADV7480WBBCZ	100-CSP_BGA-9X9_MM	HDMI/MHL VID RX	-40C to 85C
287	Audio/Video Products	ADV7480	ADV7480WBBCZ-RL	100-CSP_BGA-9X9_MM	HDMI/MHL VID RX	-40C to 85C
288	Audio/Video Products	ADV7481	ADV7481WBBCZ	100-CSP_BGA-9X9_MM	HDMI/MHL/ANALOG VID RX	-40C to 85C
289	Audio/Video Products	ADV7481	ADV7481WBBCZ-RL	100-CSP_BGA-9X9_MM	HDMI/MHL/ANALOG VID RX	-40C to 85C
290	Audio/Video Products	ADV7482	ADV7482WBBCZ	100-CSP_BGA-9X9_MM	HDMI PLUS ANALOG VID RX	-40C to 85C
291	Audio/Video Products	ADV7482	ADV7482WBBCZ-RL	100-CSP_BGA-9X9_MM	HDMI PLUS ANALOG VID RX	-40C to 85C
292	Audio/Video Products	ADV7511W	ADV7511WBSWZ	64-LQFP_EP-10X10X1.4	High-Definition Multimedia Interface	-40C to 105C
293	Audio/Video Products	ADV7511W	ADV7511WBSWZ-RL	64-LQFP_EP-10X10X1.4	High-Definition Multimedia Interface	-40C to 105C
294	Audio/Video Products	ADV7611	ADV7611WBSWZ	64-LQFP_EP-10X10X1.4	1 INPUT LOW POWER HDMI 1.4 RCVR	-40C to 85C
295	Audio/Video Products	ADV7611	ADV7611WBSWZ-RL	64-LQFP_EP-10X10X1.4	1 INPUT LOW POWER HDMI 1.4 RCVR	-40C to 85C
296	Audio/Video Products	ADV7612	ADV7612WBSWZ	100-LQFP_EP-14X14X1.4	225 MHz HDMI receiver with 2 inputs	-40C to 85C
297	Audio/Video Products	ADV7680	ADV7680WBCPZ	64-LFCSP-9X9X0.85	Single input- HDMI-RX & APIX-2 TX output	-40C to 85C
298	Audio/Video Products	ADV7680	ADV7680WBCPZ-P	64-LFCSP-9X9X0.85	Non HDCP Single input HDMI-RX & Apix-2 T	-40C to 85C
299	Audio/Video Products	ADV7680	ADV7680WBCPZ-P-RL	64-LFCSP-9X9X0.85	Non HDCP Single input HDMI-RX & Apix-2 T	-40C to 85C
300	Audio/Video Products	ADV7680	ADV7680WBCPZ-RL	64-LFCSP-9X9X0.85	Single input- HDMI-RX & APIX-2 TX output	-40C to 85C
301	Audio/Video Products	ADV7682	ADV7682WBSWZ	100-LQFP_EP-14X14X1.4	Dual input HDMI-RX & APIX-2 TX output	-40C to 85C
302	Audio/Video Products	ADV7682	ADV7682WBSWZ-P	100-LQFP_EP-14X14X1.4	Non HDCP Dual input HDMI-RX & Apix-2 TX	-40C to 85C
303	Audio/Video Products	ADV7682	ADV7682WBSWZ-P-RL	100-LQFP_EP-14X14X1.4	Non HDCP Dual input HDMI-RX & Apix-2 TX	-40C to 85C
304	Audio/Video Products	ADV7682	ADV7682WBSWZ-RL	100-LQFP_EP-14X14X1.4	Dual input HDMI-RX & APIX-2 TX output	-40C to 85C
305	Audio/Video Products	ADV7782	ADV7782WBBCZ	100-CSP_BGA-9X9_MM	APIX RX plus OLDI Rx to MIPI-CSI Tx	-40C to 85C
306	Audio/Video Products	ADV7782	ADV7782WBBCZ-RL	100-CSP_BGA-9X9_MM	APIX RX plus OLDI Rx to MIPI-CSI Tx	-40C to 85C
307	Digital Isulators	ADUM1200	ADUM1200WSRZ	8-SOIC_N-150_MIL	3-5.5V DC-1 Mbit/sec, 2Chnl Dglt 2Txr,	-40C to 125C
308	Digital Isulators	ADUM1200	ADUM1200WSRZ-RL7	8-SOIC_N-150_MIL	3-5.5V DC- 1 Mbit/sec, 2Chnl Dglt 2Txr,	-40C to 125C
309	Digital Isulators	ADUM1200	ADUM1200WTRZ	8-SOIC_N-150_MIL	3-5.5V DC 10Mbit/sc 2Chnl Dglt 2 xr,0Rxr	-40C to 125C
310	Digital Isulators	ADUM1200	ADUM1200WTRZ-RL7	8-SOIC_N-150_MIL	3-5.5V DC10Mbit/sc 2Chnl Dglt 2 xr,0Rxr	-40C to 125C
311	Digital Isulators	ADUM1200	ADUM1200WURZ	8-SOIC_N-150_MIL	3-5.5V/DC 25Mbit/sc 2Chnl Dglt 2Txrs0Rx	-40C to 125C
312	Digital Isulators	ADUM1200	ADUM1200WURZ-RL7	8-SOIC_N-150_MIL	3-5.5V DC 25Mbit/sc 2Chnl Dglt 2Txrs0Rx	-40C to 125C
313	Digital Isulators	ADUM1201	ADUM1201WSRZ	8-SOIC_N-150_MIL	3-5.5V DC 1Mbit/sc 2Chnl Dglt 1Txr1Rxr	-40C to 125C
314	Digital Isulators	ADUM1201	ADUM1201WSRZ-RL7	8-SOIC_N-150_MIL	3-5.5V DC 1Mbit/sc 2Chnl Dglt 1Txr1Rxr	-40C to 125C
315	Digital Isulators	ADUM1201	ADUM1201WTRZ	8-SOIC_N-150_MIL	3-5.5V/DC 10Mbit/sc 2Chnl Dglt 1Txr1Rxr	-40C to 125C
316	Digital Isulators	ADUM1201	ADUM1201WTRZ-RL7	8-SOIC_N-150_MIL	3-5.5V DC 10Mbit/sc 2Chnl Dglt 1Txr1Rxr	-40C to 125C
317	Digital Isulators	ADUM1201	ADUM1201WURZ	8-SOIC_N-150_MIL	3-5.5V DC 25Mbit/sc 2Chnl Dglt 1Txr1Rxr	-40C to 125C
318	Digital Isulators	ADUM1201	ADUM1201WURZ-RL7	8-SOIC_N-150_MIL	3-5.5V DC 25Mbit/sc 2Chnl Dglt 1Txr1Rxr	-40C to 125C
319	Digital Isulators	ADUM1250	ADUM1250WSRZ	8-SOIC_N-150_MIL	I2C isolator, 3V to 5.5V	-40C to 125C
320	Digital Isulators	ADUM1250	ADUM1250WSRZ-RL7	8-SOIC_N-150_MIL	I2C isolator, 3V to 5.5V	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
321	Digital Isolators	ADUM1251	ADUM1251WARZ	8-SOIC_N-150_MIL	I2C isolator, 3V to 5.5V	-40C to 125C
322	Digital Isolators	ADUM1251	ADUM1251WARZ-RL7	8-SOIC_N-150_MIL	I2C isolator, 3V to 5.5V	-40C to 125C
323	Digital Isolators	ADUM1280	ADUM1280WARZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
324	Digital Isolators	ADUM1280	ADUM1280WARZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
325	Digital Isolators	ADUM1280	ADUM1280WBRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
326	Digital Isolators	ADUM1280	ADUM1280WBRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
327	Digital Isolators	ADUM1280	ADUM1280WCRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
328	Digital Isolators	ADUM1280	ADUM1280WCRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
329	Digital Isolators	ADUM1281	ADUM1281WARZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
330	Digital Isolators	ADUM1281	ADUM1281WARZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
331	Digital Isolators	ADUM1281	ADUM1281WBRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
332	Digital Isolators	ADUM1281	ADUM1281WBRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
333	Digital Isolators	ADUM1281	ADUM1281WCRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
334	Digital Isolators	ADUM1281	ADUM1281WCRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
335	Digital Isolators	ADUM1285	ADUM1285WARZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
336	Digital Isolators	ADUM1285	ADUM1285WARZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
337	Digital Isolators	ADUM1285	ADUM1285WBRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
338	Digital Isolators	ADUM1285	ADUM1285WBRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
339	Digital Isolators	ADUM1285	ADUM1285WCRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
340	Digital Isolators	ADUM1285	ADUM1285WCRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
341	Digital Isolators	ADUM1286	ADUM1286WARZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
342	Digital Isolators	ADUM1286	ADUM1286WARZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
343	Digital Isolators	ADUM1286	ADUM1286WBRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
344	Digital Isolators	ADUM1286	ADUM1286WBRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
345	Digital Isolators	ADUM1286	ADUM1286WCRZ	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
346	Digital Isolators	ADUM1286	ADUM1286WCRZ-RL7	8-SOIC_N-150_MIL	Small 3kV DUAL-CH DIGITAL ISOLATORS	-40C to 125C
347	Digital Isolators	ADUM1300	ADUM1300WSRWZ	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 3Txr0Rxr	-40C to 125C
348	Digital Isolators	ADUM1300	ADUM1300WSRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 3Txr0Rxr	-40C to 125C
349	Digital Isolators	ADUM1300	ADUM1300WTRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 3Txr0Rxr	-40C to 125C
350	Digital Isolators	ADUM1300	ADUM1300WTRWZ-RL	16-SOIC_W-300_MIL	3-5.5VDC 10Mbit/sc 3Chnl Dgtl 3Txr0Rxr	-40C to 125C
351	Digital Isolators	ADUM1301	ADUM1301WSRWZ	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 2Txr1Rxr	-40C to 125C
352	Digital Isolators	ADUM1301	ADUM1301WSRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 2Txr1Rxr	-40C to 125C
353	Digital Isolators	ADUM1301	ADUM1301WTRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 2Txr1Rxr	-40C to 125C
354	Digital Isolators	ADUM1301	ADUM1301WTRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 2Txr1Rxr	-40C to 125C
355	Digital Isolators	ADUM1400	ADUM1400WSRWZ	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 4Txr0Rxr	-40C to 125C
356	Digital Isolators	ADUM1400	ADUM1400WSRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 4Txr0Rxr	-40C to 125C
357	Digital Isolators	ADUM1400	ADUM1400WTRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 4Txr0Rxr	-40C to 125C
358	Digital Isolators	ADUM1401	ADUM1401WSRWZ	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 3Txr1Rxr	-40C to 125C
359	Digital Isolators	ADUM1401	ADUM1401WSRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 3Txr1Rxr	-40C to 125C
360	Digital Isolators	ADUM1401	ADUM1401WTRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 3Txr1Rxr	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
361	Digital Isulators	ADUM1401	ADUM1401WTRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 4Chnl Dglt 3Txr1Rxr	-40C to 125C
362	Digital Isulators	ADUM1402	ADUM1402WSRWZ	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 4Chnl Dglt 2Txr2 Rxr	-40C to 125C
363	Digital Isulators	ADUM1402	ADUM1402WSRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 1Mbit/sc 4Chnl Dglt 2Txr2 Rxr	-40C to 125C
364	Digital Isulators	ADUM1402	ADUM1402WTRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 4Chnl Dglt 2Txr2 Rxr	-40C to 125C
365	Digital Isulators	ADUM1402	ADUM1402WTRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/sc 4Chnl Dglt 2Txr2 Rxr	-40C to 125C
366	Digital Isulators	ADUM2200	ADUM2200WARWZ	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
367	Digital Isulators	ADUM2200	ADUM2200WARWZ-RL	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
368	Digital Isulators	ADUM2200	ADUM2200WBRWZ	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
369	Digital Isulators	ADUM2200	ADUM2200WBRWZ-RL	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
370	Digital Isulators	ADUM2201	ADUM2201WARWZ	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
371	Digital Isulators	ADUM2201	ADUM2201WARWZ-RL	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
372	Digital Isulators	ADUM2201	ADUM2201WBRWZ	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
373	Digital Isulators	ADUM2201	ADUM2201WBRWZ-RL	16-SOIC_W-300_MIL	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	-40C to 125C
374	Digital Isulators	ADUM2210	ADUM2210WSRWZ	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
375	Digital Isulators	ADUM2210	ADUM2210WSRWZ-RL	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
376	Digital Isulators	ADUM2210	ADUM2210WTRWZ	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
377	Digital Isulators	ADUM2210	ADUM2210WTRWZ-RL	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
378	Digital Isulators	ADUM2211	ADUM2211WSRWZ	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
379	Digital Isulators	ADUM2211	ADUM2211WSRWZ-RL	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
380	Digital Isulators	ADUM2211	ADUM2211WTRWZ	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
381	Digital Isulators	ADUM2211	ADUM2211WTRWZ-RL	16-SOIC_W-300_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
382	Digital Isulators	ADUM2250	ADUM2250WARWZ	16-SOIC_W-300_MIL	Hot Swappable Dual I2C Isolator,5kV	-40C to 105C
383	Digital Isulators	ADUM2250	ADUM2250WARWZ-RL	16-SOIC_W-300_MIL	Hot Swappable Dual I2C Isolator,5kV	-40C to 105C
384	Digital Isulators	ADUM2251	ADUM2251WARWZ	16-SOIC_W-300_MIL	Hot Swappable Dual I2C Isolator,5kV	-40C to 105C
385	Digital Isulators	ADUM2251	ADUM2251WARWZ-RL	16-SOIC_W-300_MIL	Hot Swappable Dual I2C Isolator,5kV	-40C to 105C
386	Digital Isulators	ADUM3160	ADUM3160WBRWZ	16-SOIC_W-300_MIL	2.5kVFull/Low Speed USB Digital Isolator	-40C to 105C
387	Digital Isulators	ADUM3160	ADUM3160WBRWZ-RL	16-SOIC_W-300_MIL	2.5kVFull/Low Speed USB Digital Isolator	-40C to 105C
388	Digital Isulators	ADUM3200	ADUM3200WARZ	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	-40C to 125C
389	Digital Isulators	ADUM3200	ADUM3200WARZ-RL7	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	-40C to 125C
390	Digital Isulators	ADUM3200	ADUM3200WBRZ	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	-40C to 125C
391	Digital Isulators	ADUM3200	ADUM3200WBRZ-RL7	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	-40C to 125C
392	Digital Isulators	ADUM3200	ADUM3200WCRZ	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	-40C to 125C
393	Digital Isulators	ADUM3200	ADUM3200WCRZ-RL7	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	-40C to 125C
394	Digital Isulators	ADUM3201	ADUM3201WARZ	8-SOIC_N-150_MIL	2Ch 3-5.5V DC-1Mbit w/Enhanced ESD	-40C to 125C
395	Digital Isulators	ADUM3201	ADUM3201WARZ-RL7	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	-40C to 125C
396	Digital Isulators	ADUM3201	ADUM3201WBRZ	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	-40C to 125C
397	Digital Isulators	ADUM3201	ADUM3201WBRZ-RL7	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	-40C to 125C
398	Digital Isulators	ADUM3201	ADUM3201WCRZ	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	-40C to 125C
399	Digital Isulators	ADUM3201	ADUM3201WCRZ-RL7	8-SOIC_N-150_MIL	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	-40C to 125C
400	Digital Isulators	ADUM3210	ADUM3210WARZ	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
401	Digital Isolators	ADUM3210	ADUM3210WARZ-RL7	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
402	Digital Isolators	ADUM3210	ADUM3210WBRZ	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
403	Digital Isolators	ADUM3210	ADUM3210WBRZ-RL7	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
404	Digital Isolators	ADUM3210	ADUM3210WCRZ	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
405	Digital Isolators	ADUM3210	ADUM3210WCRZ-RL7	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
406	Digital Isolators	ADUM3211	ADUM3211WARZ	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
407	Digital Isolators	ADUM3211	ADUM3211WARZ-RL7	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
408	Digital Isolators	ADUM3211	ADUM3211WBRZ	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
409	Digital Isolators	ADUM3211	ADUM3211WBRZ-RL7	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
410	Digital Isolators	ADUM3211	ADUM3211WCRZ	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
411	Digital Isolators	ADUM3211	ADUM3211WCRZ-RL7	8-SOIC_N-150_MIL	DUAL-CH DIGITAL ISOLATORS	-40C to 125C
412	Digital Isolators	ADUM3220	ADUM3220WARZ	8-SOIC_N-150_MIL	4A Gate Drvr 4.1V Nominal UVLO	-40C to 125C
413	Digital Isolators	ADUM3220	ADUM3220WARZ-RL7	8-SOIC_N-150_MIL	4A Gate Drvr 4.1V Nominal UVLO	-40C to 125C
414	Digital Isolators	ADUM3220	ADUM3220WBRZ	8-SOIC_N-150_MIL	4A Gate Drvr 7V Nominal UVLO	-40C to 125C
415	Digital Isolators	ADUM3220	ADUM3220WBRZ-RL7	8-SOIC_N-150_MIL	4A Gate Drvr 7V Nominal UVLO	-40C to 125C
416	Digital Isolators	ADUM3221	ADUM3221WARZ	8-SOIC_N-150_MIL	4A Gate Drvr 4.1V Nominal UVLO	-40C to 125C
417	Digital Isolators	ADUM3221	ADUM3221WARZ-RL7	8-SOIC_N-150_MIL	4A Gate Drvr 4.1V Nominal UVLO	-40C to 125C
418	Digital Isolators	ADUM3221	ADUM3221WBRZ	8-SOIC_N-150_MIL	4A Gate Drvr 7V Nominal UVLO	-40C to 125C
419	Digital Isolators	ADUM3221	ADUM3221WBRZ-RL7	8-SOIC_N-150_MIL	4A Gate Drvr 7V Nominal UVLO	-40C to 125C
420	Digital Isolators	ADUM3223	ADUM3223WARZ	16-SOIC_N-150_MIL	Isolated Prec Half-Bridge Driver, 4A Out	-40C to 125C
421	Digital Isolators	ADUM3223	ADUM3223WARZ-RL7	16-SOIC_N-150_MIL	Isolated Prec Half-Bridge Driver, 4A Out	-40C to 125C
422	Digital Isolators	ADUM3223	ADUM3223WBRZ	16-SOIC_N-150_MIL	Isolated Prec Half-Bridge Driver, 4A Out	-40C to 125C
423	Digital Isolators	ADUM3223	ADUM3223WBRZ-RL7	16-SOIC_N-150_MIL	Isolated Prec Half-Bridge Driver, 4A Out	-40C to 125C
424	Digital Isolators	ADUM3223	ADUM3223WCRZ	16-SOIC_N-150_MIL	Isolated Prec Half-Bridge Driver, 4A Out	-40C to 125C
425	Digital Isolators	ADUM3223	ADUM3223WCRZ-RL7	16-SOIC_N-150_MIL	Isolated Prec Half-Bridge Driver, 4A Out	-40C to 125C
426	Digital Isolators	ADUM3224	ADUM3224WARZ	16-SOIC_N-150_MIL	3kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
427	Digital Isolators	ADUM3224	ADUM3224WARZ-RL7	16-SOIC_N-150_MIL	3kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
428	Digital Isolators	ADUM3224	ADUM3224WBRZ	16-SOIC_N-150_MIL	3kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
429	Digital Isolators	ADUM3224	ADUM3224WBRZ-RL7	16-SOIC_N-150_MIL	3kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
430	Digital Isolators	ADUM3224	ADUM3224WCRZ	16-SOIC_N-150_MIL	3kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
431	Digital Isolators	ADUM3224	ADUM3224WCRZ-RL7	16-SOIC_N-150_MIL	3kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
432	Digital Isolators	ADUM3300	ADUM3300WARVZ	16-SOIC_W-300_MIL	THREE-CHANNEL DIGITAL ISOLATOR	-40C to 125C
433	Digital Isolators	ADUM3300	ADUM3300WARVZ-RL	16-SOIC_W-300_MIL	THREE-CHANNEL DIGITAL ISOLATORS	-40C to 125C
434	Digital Isolators	ADUM3300	ADUM3300WBRVZ	16-SOIC_W-300_MIL	THREE-CHANNEL DIGITAL ISOLATOR	-40C to 125C
435	Digital Isolators	ADUM3300	ADUM3300WBRVZ-RL	16-SOIC_W-300_MIL	THREE - CHANNEL DIGITAL ISOLATORS	-40C to 125C
436	Digital Isolators	ADUM3301	ADUM3301WARVZ	16-SOIC_W-300_MIL	THREE-CHANNEL DIGITAL ISOLATOR	-40C to 125C
437	Digital Isolators	ADUM3301	ADUM3301WARVZ-RL	16-SOIC_W-300_MIL	THREE-CHANNEL DIGITAL ISOLATORS	-40C to 125C
438	Digital Isolators	ADUM3301	ADUM3301WBRVZ	16-SOIC_W-300_MIL	THREE-CHANNEL DIGITAL ISOLATOR	-40C to 125C
439	Digital Isolators	ADUM3301	ADUM3301WBRVZ-RL	16-SOIC_W-300_MIL	THREE-CHANNEL DIGITAL ISOLATORS	-40C to 125C
440	Digital Isolators	ADUM3400	ADUM3400WARVZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2xr	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
441	Digital Isolators	ADUM3400	ADUM3400WARWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
442	Digital Isolators	ADUM3400	ADUM3400WBRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
443	Digital Isolators	ADUM3400	ADUM3400WBRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
444	Digital Isolators	ADUM3401	ADUM3401WARWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
445	Digital Isolators	ADUM3401	ADUM3401WARWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
446	Digital Isolators	ADUM3401	ADUM3401WBRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
447	Digital Isolators	ADUM3401	ADUM3401WBRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
448	Digital Isolators	ADUM3402	ADUM3402WARWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
449	Digital Isolators	ADUM3402	ADUM3402WARWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
450	Digital Isolators	ADUM3402	ADUM3402WBRWZ	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
451	Digital Isolators	ADUM3402	ADUM3402WBRWZ-RL	16-SOIC_W-300_MIL	3-5.5V DC 10Mbit/s 4Chnl Dglt 2Txr2xr	-40C to 125C
452	Digital Isolators	ADUM3470	ADUM3470WARSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
453	Digital Isolators	ADUM3470	ADUM3470WARSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
454	Digital Isolators	ADUM3470	ADUM3470WCRSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
455	Digital Isolators	ADUM3470	ADUM3470WCRSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
456	Digital Isolators	ADUM3471	ADUM3471WARSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
457	Digital Isolators	ADUM3471	ADUM3471WARSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
458	Digital Isolators	ADUM3471	ADUM3471WCRSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
459	Digital Isolators	ADUM3471	ADUM3471WCRSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
460	Digital Isolators	ADUM3472	ADUM3472WARSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
461	Digital Isolators	ADUM3472	ADUM3472WARSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
462	Digital Isolators	ADUM3472	ADUM3472WCRSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
463	Digital Isolators	ADUM3472	ADUM3472WCRSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
464	Digital Isolators	ADUM3473	ADUM3473WARSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
465	Digital Isolators	ADUM3473	ADUM3473WARSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
466	Digital Isolators	ADUM3473	ADUM3473WCRSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
467	Digital Isolators	ADUM3473	ADUM3473WCRSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
468	Digital Isolators	ADUM3474	ADUM3474WARSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
469	Digital Isolators	ADUM3474	ADUM3474WARSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
470	Digital Isolators	ADUM3474	ADUM3474WCRSZ	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
471	Digital Isolators	ADUM3474	ADUM3474WCRSZ-RL7	20-SSOP-5.30_MM	4-Ch Iso w/ Int Transformer Driver	-40C to 105C
472	Digital Isolators	ADUM4223	ADUM4223WARWZ	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
473	Digital Isolators	ADUM4223	ADUM4223WARWZ-RL	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
474	Digital Isolators	ADUM4223	ADUM4223WBRWZ	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
475	Digital Isolators	ADUM4223	ADUM4223WBRWZ-RL	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
476	Digital Isolators	ADUM4223	ADUM4223WCRWZ	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
477	Digital Isolators	ADUM4223	ADUM4223WCRWZ-RL	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
478	Digital Isolators	ADUM4224	ADUM4224WARWZ	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
479	Digital Isolators	ADUM4224	ADUM4224WARWZ-RL	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
480	Digital Isolators	ADUM4224	ADUM4224WBRWZ	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
481	Digital Isolators	ADUM4224	ADUM4224WBRWZ-RL	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
482	Digital Isolators	ADUM4224	ADUM4224WCRWZ	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
483	Digital Isolators	ADUM4224	ADUM4224WCRWZ-RL	16-SOIC_W-300_MIL	5kV Isolated Prec Half-Bridge Driver, 4A	-40C to 125C
484	Digital Isolators	ADUM4400	ADUM4400WARWZ	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
485	Digital Isolators	ADUM4400	ADUM4400WARWZ-RL	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
486	Digital Isolators	ADUM4400	ADUM4400WBRWZ	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
487	Digital Isolators	ADUM4400	ADUM4400WBRWZ-RL	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
488	Digital Isolators	ADUM4401	ADUM4401WARWZ	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 105C
489	Digital Isolators	ADUM4401	ADUM4401WARWZ-RL	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 105C
490	Digital Isolators	ADUM4401	ADUM4401WBRWZ	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 105C
491	Digital Isolators	ADUM4401	ADUM4401WBRWZ-RL	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 105C
492	Digital Isolators	ADUM4402	ADUM4402WARWZ	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
493	Digital Isolators	ADUM4402	ADUM4402WARWZ-RL	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
494	Digital Isolators	ADUM4402	ADUM4402WBRWZ	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
495	Digital Isolators	ADUM4402	ADUM4402WBRWZ-RL	16-SOIC_W-300_MIL	Quad-Ch 5kV Enhanced ESD Dig Isoltr	-40C to 125C
496	Digital Isolators	ADUM5000	ADUM5000WARWZ	16-SOIC_W-300_MIL	Isolated DC/DC Converter	-40C to 105C
497	Digital Isolators	ADUM5000	ADUM5000WARWZ-RL	16-SOIC_W-300_MIL	Isolated DC/DC Converter	-40C to 105C
498	Digital Isolators	ADUM5200	ADUM5200WCRWZ	16-SOIC_W-300_MIL	2-ChANNEL ISO W/INTEGRATED DC/DC	-40C to 105C
499	Digital Isolators	ADUM5200	ADUM5200WCRWZ-RL	16-SOIC_W-300_MIL	2-ChANNEL ISO W/INTEGRATED DC/DC	-40C to 105C
500	Digital Isolators	ADUM5201	ADUM5201WCRWZ	16-SOIC_W-300_MIL	2-ChANNEL ISO W/INTEGRATED DC/DC	-40C to 105C
501	Digital Isolators	ADUM5201	ADUM5201WCRWZ-RL	16-SOIC_W-300_MIL	2-ChANNEL ISO W/INTEGRATED DC/DC	-40C to 105C
502	Digital Isolators	ADUM5202	ADUM5202WCRWZ	16-SOIC_W-300_MIL	2-ChANNEL ISO W/INTEGRATED DC/DC	-40C to 105C
503	Digital Isolators	ADUM5202	ADUM5202WCRWZ-RL	16-SOIC_W-300_MIL	2-ChANNEL ISO W/INTEGRATED DC/DC	-40C to 105C
504	Digital Isolators	ADUM5230	ADUM5230WARWZ	16-SOIC_W-300_MIL	Isolated Half-bridge Gate Driver	-40C to 105C
505	Digital Isolators	ADUM5230	ADUM5230WARWZ-RL	16-SOIC_W-300_MIL	Isolated Half-bridge Gate Driver	-40C to 105C
506	Digital Isolators	ADUM5401	ADUM5401WCRWZ-1	16-SOIC_W-300_MIL	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	-40C to 105C
507	Digital Isolators	ADUM5401	ADUM5401WCRWZ-1RL	16-SOIC_W-300_MIL	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	-40C to 105C
508	Digital Isolators	ADUM5402	ADUM5402WCRWZ-1	16-SOIC_W-300_MIL	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	-40C to 105C
509	Digital Isolators	ADUM5402	ADUM5402WCRWZ-1RL	16-SOIC_W-300_MIL	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	-40C to 105C
510	Digital Isolators	ADUM5403	ADUM5403WCRWZ-1	16-SOIC_W-300_MIL	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	-40C to 105C
511	Digital Isolators	ADUM5403	ADUM5403WCRWZ-1RL	16-SOIC_W-300_MIL	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	-40C to 105C
512	Digital to Analog Converters	AD5162	AD5162WBRMZ100-RL7	10-MINI_SO-N/A	Dual 8-Bit SPI Digital Pot with Low TC	-40C to 125C
513	Digital to Analog Converters	AD5220	AD5220WBRZ10-REEL7	8-SOIC_N-150_MIL	7-BIT RDAC WITH UP/DWN CONTROL	-40C to 85C
514	Digital to Analog Converters	AD5300	AD5300WBRTZ-RL7	6-SOT_23-N/A	8-BIT Vout DAC I.C.	-40C to 105C
515	Digital to Analog Converters	AD5308	AD5308WARUZ-REEL7	16-TSSOP_4.4-4.4_MM	Octal 8-bit micropower DAC - 2.5V	-40C to 105C
516	Digital to Analog Converters	AD5312	AD5312WARMZ-REEL7	10-MINI_SO-N/A	Dual 10-bit serial input DAC	-40C to 105C
517	Digital to Analog Converters	AD5313	AD5313WBRUZ-REEL7	16-TSSOP_4.4-4.4_MM	Dual 10-bit serial input DAC	-40C to 105C
518	Digital to Analog Converters	AD5314	AD5314WARMZ-REEL7	10-MINI_SO-N/A	10-bit quad serial Vout DAC - low power	-40C to 85C
519	Digital to Analog Converters	AD5453	AD5453WBPCZ-RL	8-LFCS-3X3X0.75	14-bit Serial Iout DAC	-40C to 125C
520	Digital to Analog Converters	AD5662	AD5662WARMZ-1REEL7	8-MINI_SO-N/A	Single 16 Bit 3V/5V With Reference I.C	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
521	Digital to Analog Converters	AD7398	AD7398WBRUZ-RL7	16-TSSOP_4.4-4.4_MM	Quad 12bit DAC Serial In	-40C to 125C
522	Digital to Analog Converters	AD7887	AD7887WARMZ-RL	8-MINI_SO-N/A	2 CHANNEL, SERIAL 12-BIT ADC I.C.	-40C to 125C
523	Digital to Analog Converters	AD8403	AD8403WARZ50-REEL	24-SOIC_W-300_MIL	4-channel digital potentiometer (R-DAC)	-40C to 125C
524	Digital to Analog Converters	AD9740	AD9740WARUZRL7	28-TSSOP_4.4-4.4_MM	10 BIT 210 MSPS TxDAC	-40C to 105C
525	Digital to Analog Converters	AD9833	AD9833WBRMZ-REEL	10-MINI_SO-N/A	20 mW Programmable Waveform Generator	-40C to 105C
526	Embedded Processing and DSP	AD2410W	AD2410WCCSZ	32-LFCSP_SS-5X5X0.75	Multi-channel,Bi-directional Serial I/F	-40C to 105C
527	Embedded Processing and DSP	AD2410W	AD2410WCCSZ-RL	32-LFCSP_SS-5X5X0.75	Multi-channel,Bi-directional Serial I/F	-40C to 105C
528	Embedded Processing and DSP	ADSP-21369W-02	AD21369WBSWZ102	208-LQFP_EP-28X28X1.4	SHARC 266MHz, DAI, 2Mbit SRAM/6Mbit ROM	-40C to 85C
529	Embedded Processing and DSP	ADSP-21467W-02	AD21467WBBCZ3A02	324-CSP_BGA-19X19_MM	SHARC Processor 400MHz	-40C to 85C
530	Embedded Processing and DSP	ADSP-21469W-02	AD21469WBBCZ302	324-CSP_BGA-19X19_MM	SHARC Processor/5 Mbits on Chip Ram	-40C to 85C
531	Embedded Processing and DSP	ADSP-21477W-02	AD21477WYCPZ1A02	88-LFCSP-12X12X0.80	Sharc Processor, 200MHz	-40C to 105C
532	Embedded Processing and DSP	ADSP-21477W-02	AD21477WYSWZ1A02	100-LQFP_EP-14X14X1.4	Sharc Processor, 200MHz	-40C to 105C
533	Embedded Processing and DSP	ADSP-21478W-02	AD21478WYSWZ2A02	100-LQFP_EP-14X14X1.4	SHARC, 266MHz W/3M Bits RAM LOWER POWER	-40C to 105C
534	Embedded Processing and DSP	ADSP-21478W-02	AD21478WYSWZ2B02	100-LQFP_EP-14X14X1.4	SHARC 266MHz Processor	-40C to 105C
535	Embedded Processing and DSP	ADSP-21479W-02	AD21479WYCPZ1A02	88-LFCSP-12X12X0.80	SHARC 200MHz Proc/5Mbits RAM	-40C to 85C
536	Embedded Processing and DSP	ADSP-21479W-02	AD21479WYCPZ1B02	88-LFCSP-12X12X0.80	SHARC 200MHz Processor	-40C to 105C
537	Embedded Processing and DSP	ADSP-21479W-02	AD21479WYSWZ2A02	100-LQFP_EP-14X14X1.4	SHARC 266MHz Processor	-40C to 85C
538	Embedded Processing and DSP	ADSP-21479W-02	AD21479WYSWZ2B02	100-LQFP_EP-14X14X1.4	SHARC 266MHz Processor	-40C to 105C
539	Embedded Processing and DSP	ADSP-21486W-04	AD21486WBSWZ4A04	100-LQFP_EP-14X14X1.4	SHARC w/ DTCP, Dolby & DTS IP	-40C to 85C
540	Embedded Processing and DSP	ADSP-21487W-04	AD21487WBSWZ4A04	100-LQFP_EP-14X14X1.4	SHARCVw/5M RAM; AudioDecoders	-40C to 85C
541	Embedded Processing and DSP	ADSP-21487W-04	AD21487WBSWZ4B04	176-LQFP_EP-24X24X1.4	SHARCVw/5M RAM; AudioDecoders	-40C to 85C
542	Embedded Processing and DSP	ADSP-21488W-02	AD21488WBSWZ402	100-LQFP_EP-14X14X1.4	SHARC with 3Mb on chip RAM 400MHz	-40C to 85C
543	Embedded Processing and DSP	ADSP-21488W-02	AD21488WBSWZ4B02	176-LQFP_EP-24X24X1.4	SHARC with 3Mb on chip RAM 400MHz	-40C to 85C
544	Embedded Processing and DSP	ADSP-21489W-02	AD21489WBSWZ402	100-LQFP_EP-14X14X1.4	SHARC with 5 Mb on chip RAM,400MHz	-40C to 85C
545	Embedded Processing and DSP	ADSP-21489W-02	AD21489WBSWZ4B02	176-LQFP_EP-24X24X1.4	SHARC with 5 Mb on chip RAM,400MHz	-40C to 85C
546	Embedded Processing and DSP	ADSP-BF504W-01	ADBF504WYCPZ401	88-LFCSP-12X12X0.80	Blackfin Processor, 400MHz	-40C to 105C
547	Embedded Processing and DSP	ADSP-BF512W-02	ADBF512WBBCZ402	168-CSP_BGA-12X12_MM	Blackfin 400MHz Processor	-40C to 85C
548	Embedded Processing and DSP	ADSP-BF512W-02	ADBF512WBSWZ402	176-LQFP_EP-24X24X1.4	Blackfin 400MHz Processor	-40C to 85C
549	Embedded Processing and DSP	ADSP-BF518W-02	ADBF518WBBCZ402	168-CSP_BGA-12X12_MM	Blackfin 400MHz Processor	-40C to 85C
550	Embedded Processing and DSP	ADSP-BF518W-02	ADBF518WBSWZ402	176-LQFP_EP-24X24X1.4	Blackfin 400MHz Processor	-40C to 85C
551	Embedded Processing and DSP	ADSP-BF525W-02	ADBF525WBBCZ402	208-CSP_BGA-17X17_MM	Blackfin 400MHz Processor	-40C to 85C
552	Embedded Processing and DSP	ADSP-BF525W-02	ADBF525WBSWZ502	208-CSP_BGA-17X17_MM	Blackfin 533MHz Processor	-40C to 85C
553	Embedded Processing and DSP	ADSP-BF531W-06	ADBF531WBBCZ406	160-CSP_BGA-12X12_MM	Blackfin 400MHz Processor	-40C to 85C
554	Embedded Processing and DSP	ADSP-BF531W-06	ADBF531WBSWZ406	176-LQFP-24X24X1.4	Blackfin 400MHz Processor	-40C to 85C
555	Embedded Processing and DSP	ADSP-BF531W-06	ADBF531WYBCZ406	160-CSP_BGA-12X12_MM	Blackfin 400MHz Processor	-40C to 105C
556	Embedded Processing and DSP	ADSP-BF532W-06	ADBF532WBBCZ406	160-CSP_BGA-12X12_MM	Blackfin 400MHz Processor	-40C to 85C
557	Embedded Processing and DSP	ADSP-BF532W-06	ADBF532WBSWZ406	176-LQFP-24X24X1.4	Blackfin 400MHz Processor	-40C to 85C
558	Embedded Processing and DSP	ADSP-BF533W-06	ADBF533WBBCZ506	160-CSP_BGA-12X12_MM	Blackfin 533MHz Processor	-40C to 85C
559	Embedded Processing and DSP	ADSP-BF533W-06	ADBF533WBSWZ506	169-BGA-19X19_MM	Blackfin 533MHz Processor	-40C to 85C
560	Embedded Processing and DSP	ADSP-BF534LW-3	ADBF534WBBCZ4A03	182-CSP_BGA-12X12_MM	Blackfin 400MHz, Prcsr CAN 2.0 BUS	-40C to 85C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
561	Embedded Processing and DSP	ADSP-BF534LW-3	ADBF534WBBCZ4B03	208-CSP_BGA-17X17_MM	Blackfin 400MHz Prcsr, CAN 2.0 BUS	-40C to 85C
562	Embedded Processing and DSP	ADSP-BF534LW-3	ADBF534WBBCZ4B03RL	208-CSP_BGA-17X17_MM	Blackfin Processor 400MHz, 132KB SRAM	-40C to 85C
563	Embedded Processing and DSP	ADSP-BF534LW-3	ADBF534WYBCZ4B03	208-CSP_BGA-17X17_MM	Blackfin 400MHz, CAN 2.0 BUS	-40C to 105C
564	Embedded Processing and DSP	ADSP-BF539W-05	ADBF539WBBCZ505	316-CSP_BGA-17X17_MM	Blackfin 533MHz, Processor	-40C to 85C
565	Embedded Processing and DSP	ADSP-BF544W-04	ADBF544WBBCZ504	400-CSP_BGA-17X17_MM	Blackfin 533MHz, Processor Dual PPI	-40C to 85C
566	Embedded Processing and DSP	ADSP-BF549MW-3	ADBF549WBBCZ5M03	400-CSP_BGA-17X17_MM	Blackfin 533MHz, Prcsr 2 PPI, USB	-40C to 85C
567	Embedded Processing and DSP	ADSP-BF549W-04	ADBF549WBBCZ504	400-CSP_BGA-17X17_MM	Blackfin 533MHz, Prcsr 2 PPI, USB	-40C to 85C
568	Embedded Processing and DSP	ADSP-BF561W-05	ADBF561WBBCZ505	256-CSP_BGA-17X17_MM	Blackfin dual Core Processor, 533MHz	-40C to 85C
569	Embedded Processing and DSP	ADSP-BF561W-05	ADBF561WBBCZ505	297-BGA-27X27_MM	Blackfin dual Core Processor, 533MHz	-40C to 85C
570	Embedded Processing and DSP	ADSP-BF592W-02	ADBF592WYCPZ402	64-LFCSP-9X9X0.85	Blackfin Processor with on chip ROM	-40C to 105C
571	Embedded Processing and DSP	ADSP-BF606W-02	ADBF606WCBCZ402	349-CSP_BGA-19X19_MM	Blackfin Proc w/128K SRAM	-40C to 105C
572	Embedded Processing and DSP	ADSP-BF607W-02	ADBF607WCBCZ502	349-CSP_BGA-19X19_MM	Blackfin Proc w/ 256K SRAM	-40C to 105C
573	Embedded Processing and DSP	ADSP-BF608W-02	ADBF608WCBCZ502	349-CSP_BGA-19X19_MM	Blackfin Dual core Proc.w/VGA PVP	-40C to 105C
574	Embedded Processing and DSP	ADSP-BF609W-02	ADBF609WCBCZ502	349-CSP_BGA-19X19_MM	Blackfin core Processor W/HD PV	-40C to 105C
575	Interface	ADM101E	ADM101EWARMZ-REEL7	10-MINI_SO-N/A	SINGLE CHANNEL, 5V RS-232 I.C.	-40C to 85C
576	Interface	ADM3054	ADM3054WBRWZ-RL7	16-SOIC_W-300_MIL	5kVrms Int Signal + Power ISO CAN Xcvr	-40C to 125C
577	Interface	ADM3075E	ADM3075EWYRZ	8-SOIC_N-150_MIL	3V 15kV ESD RS-485 HD 500Kbps w/FS, IC	-40C to 125C
578	Interface	ADM3075E	ADM3075EWYRZ-RL7	8-SOIC_N-150_MIL	3V 15kV ESD RS-485 HD 500Kbps w/FS, IC	-40C to 125C
579	Interface	ADM4853	ADM4853WARZ-RL7	8-SOIC_N-150_MIL	10Mbps Half Duplex 5V RS485 Trans. I.C.	-40C to 85C
580	Interface	ADM487E	ADM487EWARZ	8-SOIC_N-150_MIL	5v 15kV ESD Half Duplex RS-485 Transcive	-40C to 85C
581	Interface	ADM487E	ADM487EWARZ-REEL7	8-SOIC_N-150_MIL	5v 15kV ESD Half Duplex RS-485 Transcive	-40C to 85C
582	Interface	ADN4667	ADN4667WARZ-REEL7	16-SOIC_N-150_MIL	3V Quad LVDS Differential Driver	-40C to 85C
583	MEMS	ADXL103	ADXL103WCEZB-REEL	8-LCC-N/A	Precision single axis 1.7-18 g accel	-40C to 125C
584	MEMS	ADXL185B	ADXL185BWBBDZUP-RL	16-SOIC_N_EP-150_MIL	123-16D-01s inverted sat sensor 30g-48g	-40C to 125C
585	MEMS	ADXL189B	ADXL189BWBBDZUP-RL	16-SOIC_N_EP-150_MIL	PSI5 x axis Satellite Sensor	-40C to 125C
586	MEMS	ADXL193	ADW22282ZD	8-LCC-N/A	Single axis, 120g, 18mv/g, 400Hz accel	-40C to 125C
587	MEMS	ADXL195	ADXL195WBBDZA-RL	16-SOIC_N_EP-150_MIL	±120g ACU XL Sensor, 16b SPI, X/HF	-40C to 105C
588	MEMS	ADXL203	ADXL203WCEZB-REEL	8-LCC-N/A	Precision Dual axis 1.7-18 g accel	-40C to 125C
589	MEMS	ADXL213	ADXL213WAEZA-REEL	8-LCC-N/A	Dual axis low 1.2 g accel, w/ PWM output	-40C to 85C
590	MEMS	ADXL288	ADXL288WBBDZ-RL	16-SOIC_N_EP-150_MIL	120g, Digital Output two-axis Accel	-40C to 105C
591	MEMS	ADXL295	ADXL295WBBDZ-RL	16-SOIC_N_EP-150_MIL	120g, Digital Output two-axis Accel w/HF	-40C to 105C
592	MEMS	ADXL312	ADXL312WACPZ	32-LFCSP-5X5X1.45	3-axis, 1.5-12g accel, Digital Output	-40C to 105C
593	MEMS	ADXL312	ADXL312WACPZ-RL	32-LFCSP-5X5X1.45	3-axis, 1.5-12g accel, Digital Output	-40C to 105C
594	MEMS	ADXL313	ADXL313WACPZ-RL	32-LFCSP-5X5X1.45	.5-4g Digital Output Three-Axis Accel	-40C to 105C
595	MEMS	ADXL313	ADXL313WACPZ-RL7	32-LFCSP-5X5X1.45	.5-4g Digital Output Three-Axis Accel	-40C to 105C
596	MEMS	ADXL703	ADXL703WBRWZ-UP-RL	16-SOIC_W-300_MIL	High Perf 3 Axis Low G ESC	-40C to 105C
597	MEMS	ADXRS800	ADXRS800WBWEYZ	14-LCC_V-9X9_MM	300 deg/s digital SPI out gyro, Roll	-40C to 105C
598	MEMS	ADXRS800	ADXRS800WBWEYZ-RL	14-LCC_V-9X9_MM	300 deg/s digital SPI out gyro, Roll	-40C to 105C
599	MEMS	ADXRS800	ADXRS800WBRGZ	16-SOIC_CAV-300_MIL	300 deg/s digital SPI out gyro, Yaw	-40C to 105C
600	MEMS	ADXRS800	ADXRS800WBRGZ-RL	16-SOIC_CAV-300_MIL	300 deg/s digital SPI out gyro, Yaw	-40C to 105C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
601	MEMS	ADXRS810	ADXRS810WBRGZ-RL	16-SOIC_CAV-300_MIL	SPI output gyro vertical pkg +/- 300	-40C to 105C
602	Power Management	AD7280A	AD7280AWBSTZ	48-LQFP-7X7X1.4	Li+ BATTERY MONITORING Upgrade	-40C to 105C
603	Power Management	AD7280A	AD7280AWBSTZ-RL	48-LQFP-7X7X1.4	Li+ BATTERY MONITORING Upgrade	-40C to 105C
604	Power Management	AD8280	AD8280WASTZ	48-LQFP-7X7X1.4	Lithium Ion Battery Safety Monitor	-40C to 105C
605	Power Management	AD8280	AD8280WASTZ-RL	48-LQFP-7X7X1.4	Lithium Ion Battery Safety Monitor	-40C to 105C
606	Power Management	ADM6315	ADM6315W31D2ARTZR7	4-SOT_143-N/A	Open Drain Microprocessor Supervisor IC	-40C to 125C
607	Power Management	ADM8316	ADM8316WBX30ARJZR7	5-SOT_23-N/A	WD,MRb,PPb,30msTO,102msWD,3.0V	-40C to 125C
608	Power Management	ADM8316	ADM8316WBX46ARJZR7	5-SOT_23-N/A	WD,MRb,PPb,30msTO,102msWD,4.63V	-40C to 125C
609	Power Management	ADM8318	ADM8318WCY46ARJZR7	5-SOT_23-N/A	Supervisory Circuit with Watchdog	-40C to 125C
610	Power Management	ADM8319	ADM8319WB31ARJZR7	5-SOT_23-N/A	Supervisory Circuit with Watchdog	-40C to 125C
611	Power Management	ADM8320	ADM8320WCY29ARJZR7	5-SOT_23-N/A	Supervisory Circuit with Watchdog	-40C to 125C
612	Power Management	ADM8321	ADM8321WAX30ARJZR7	5-SOT_23-N/A	WD,ODb,PP,200msTO,1.6sWD,3.0V	-40C to 125C
613	Power Management	ADM8321	ADM8321WAY30ARJZR7	5-SOT_23-N/A	WD,ODb,PP,200msTO,1.6sWD,4.63V	-40C to 125C
614	Power Management	ADM8321	ADM8321WCY46ARJZR7	5-SOT_23-N/A	WD,ODb,PP,200msTO,1.6sWD,4.63V	-40C to 125C
615	Power Management	ADM8322	ADM8322WC46ARJZR7	5-SOT_23-N/A	Supervisory Circuit with Watchdog	-40C to 125C
616	Power Management	ADM8323	ADM8323WCC29ARJZR7	5-SOT_23-N/A	VWVD,MRb,PPb,200msTO,15ms/300msWD,2.93V	-40C to 125C
617	Power Management	ADM8323	ADM8323WCC46ARJZR7	5-SOT_23-N/A	VWVD,MRb,PPb,200msTO,15ms/300msWD,4.63V	-40C to 125C
618	Power Management	ADM8324	ADM8324WCA29ARJZR7	5-SOT_23-N/A	VWVD,MRb,ODb,200msTO,1.5ms/10msWD,2.93V	-40C to 125C
619	Power Management	ADM8324	ADM8324WCA46ARJZR7	5-SOT_23-N/A	VWVD,MRb,ODb,200msTO,1.5ms/10msWD,4.63V	-40C to 125C
620	Power Management	ADP1046A	ADP1046AWACPZ-R7	32-LFCSP-5X5X0.75	Advanced DC-DC Digital Controller	-40C to 125C
621	Power Management	ADP1048	ADP1048WAROZ-R7	24-QSOP-150_MIL	Digital Power Factor & Input Power Meter	-40C to 125C
622	References	ADCMP361	ADCMP361WYRJZ-RL7	5-SOT_23-N/A	Dual Comperator & Reference	-40C to 125C
623	References	ADR01	ADR01WARZ-R7	8-SOIC_N-150_MIL	+10V PrecisionBandgap REF	-40C to 125C
624	References	ADR01	ADR01WARZ-RL	8-SOIC_N-150_MIL	+10V PrecisionBandgap REF	-40C to 125C
625	References	ADR02	ADR02WARZ-REEL	8-SOIC_N-150_MIL	5.00V, 0.1%, 10ppm/Deg C	-40C to 125C
626	References	ADR02	ADR02WARZ-REEL7	8-SOIC_N-150_MIL	5.00V, 0.1%, 10ppm/Deg C	-40C to 125C
627	References	ADR03	ADR03WARZ-R7	8-SOIC_N-150_MIL	2.5V PrecisionBandgap REF	-40C to 125C
628	References	ADR03	ADR03WARZ-RL	8-SOIC_N-150_MIL	2.5V PrecisionBandgap REF	-40C to 125C
629	References	ADR06	ADR06WARZ-R7	8-SOIC_N-150_MIL	3.0V Reference	-40C to 125C
630	References	ADR06	ADR06WARZ-RL	8-SOIC_N-150_MIL	3.0V Reference	-40C to 125C
631	References	ADR291	ADR291WFRZ-R7	8-SOIC_N-150_MIL	2.5V Out, 15ppm/degC Max TC, Vltg Ref	-40C to 125C
632	References	ADR291	ADR291WFRZ-RL	8-SOIC_N-150_MIL	2.5V Out, 15ppm/degC Max TC, Vltg Ref	-40C to 125C
633	References	ADR3525	ADR3525WARMZ-R7	8-MINI_SO-N/A	2.5V CMOS 8ppm/C Voltage REF	-40C to 125C
634	References	ADR3525	ADR3525WBRMZ-R7	8-MINI_SO-N/A	2.5V CMOS 5ppm/C Voltage REF	-40C to 125C
635	References	ADR3530	ADR3530WARMZ-R7	8-MINI_SO-N/A	3.0V CMOS 8ppm/C Voltage REF	-40C to 125C
636	References	ADR3530	ADR3530WBRMZ-R7	8-MINI_SO-N/A	3.0V CMOS 5ppm/C Voltage REF	-40C to 125C
637	References	ADR3533	ADR3533WARMZ-R7	8-MINI_SO-N/A	3.3V CMOS 8ppm/C Voltage REF	-40C to 125C
638	References	ADR3533	ADR3533WBRMZ-R7	8-MINI_SO-N/A	3.3V CMOS 5ppm/C Voltage REF	-40C to 125C
639	References	ADR3540	ADR3540WARMZ-R7	8-MINI_SO-N/A	4.096V CMOS 8ppm/C Voltage REF	-40C to 125C
640	References	ADR3540	ADR3540WBRMZ-R7	8-MINI_SO-N/A	4.096V CMOS 5ppm/C Voltage REF	-40C to 125C



Automotive Recommended Part List (ARPL)

Updated: 02-Mar-2015

ITEM	PRODUCT CATEGORY	GENERIC NUMBER	MATERIAL NUMBER	PACKAGE	MATERIAL DESCRIPTION	AMBIENT TEMP
641	References	ADR3550	ADR3550WARMZ-R7	8-MINI_SO-N/A	5.0V CMOS 8ppm/C Voltage REF	-40C to 125C
642	References	ADR3550	ADR3550WBRMZ-R7	8-MINI_SO-N/A	5.0V CMOS 5ppm/C Voltage REF	-40C to 125C
643	References	ADR365	ADR365WAUJZ-R7	5-TSOT-N/A	5.0V Micropower REF with sink/source ca	-40C to 125C
644	References	ADR366	ADR366WAUJZ-REEL7	5-TSOT-N/A	2.5V Out, 15ppm/degC Max TC, Vltg Ref	-40C to 125C
645	References	ADR392	ADR392WBUJZ-R7	5-TSOT-N/A	Prec Low Drift+4.096V REF	-40C to 125C
646	References	ADR5041	ADR5041WARTZ-R7	3-SOT_23_3-N/A	2.5V Shunt Voltage Ref	-40C to 125C
647	References	ADR5041	ADR5041WBRTZ-R7	3-SOT_23_3-N/A	2.5V Shunt Voltage Ref	-40C to 125C
648	References	ADR5044	ADR5044WARTZ-R7	3-SOT_23_3-N/A	4.096V hunt Voltage Ref	-40C to 125C
649	References	ADR5044	ADR5044WBRTZ-R7	3-SOT_23_3-N/A	4.096V Shunt Voltage Ref	-40C to 125C
650	References	ADR512	ADR512WARTZ-R7	3-SOT_23_3-N/A	+1.2V Shunt REF	-40C to 85C
651	RF/IF ICs	ADF4153	ADF4153WYRUZ-RL7	16-TSSOP_4.4-4.4_MM	SINGLE RF F-N PLL	-40C to 125C
652	RF/IF ICs	ADF4158	ADF4158WCCPZ	24-LFCSP-4X4X0.75	6 GHz Direct Modulation frac-N PLL	-40C to 125C
653	RF/IF ICs	ADF4158	ADF4158WCCPZ-RL7	24-LFCSP-4X4X0.75	6 GHz Direct Modulation frac-N PLL Synth	-40C to 125C
654	RF/IF ICs	ADF4159	ADF4159WCCPZ	24-LFCSP-4X4X0.75	13GHz Fast Ramp Direct Mod Frac N PLL	-40C to 125C
655	RF/IF ICs	ADF4159	ADF4159WCCPZ-RL7	24-LFCSP-4X4X0.75	13GHz Fast Ramp Direct Mod Frac N PLL	-40C to 125C
656	RF/IF ICs	ADF4193	ADF4193WCCPZ-RL7	32-LFCSP-5X5X0.85	Fast Settling PLL Synthesizer	-40C to 105C
657	Sensors	ADT7311	ADT7311WTRZ	8-SOIC_N-150_MIL	0.5C Accurate Temp Sensor-I2C Interface	-40C to 150C
658	Sensors	ADT7311	ADT7311WTRZ-RL	8-SOIC_N-150_MIL	0.5C Accurate Temp SPI Interface	-40C to 150C
659	Sensors	ADT7311	ADT7311WTRZ-RL7	8-SOIC_N-150_MIL	0.5C Accurate Temp SPI Interface	-40C to 150C
660	Sensors	ADT7312	ADT7312WCZ-PT7	0-CHIP-N/A	0.5C ACC DIGITAL TEMP SENSOR SPI & I2C	-55C to 175C
661	Sensors	TMP36	ADW75001Z-0REEL7	5-SOT_23-N/A	+2.7-5.5V Vout TEMP SENSOR	-40C to 125C
662	Switches/Multiplexers	ADG1411	ADG1411WBCPZ-REEL	16-LFCSP-4X4X0.85	+/-15V Quad SPST with Ron max = 2 Ohm	-40C to 125C
663	Switches/Multiplexers	ADG2128	ADG2128WBCPZ-REEL7	32-LFCSP-5X5X0.85	5V/+12V CMOS 8 X 12 Analog Switch Array	-40C to 85C
664	Switches/Multiplexers	ADG3304	ADG3304WBRUZ-REEL	14-TSSOP_4.4-4.4_MM	1.2V - 5.5V, 4-channel Bi-DIR TRANS IC	-40C to 85C
665	Switches/Multiplexers	ADG5412	ADG5412WBCPZ-REEL7	16-LFCSP-4X4X0.75	20V Latchup Proof quad SPST	-40C to 125C
666	Switches/Multiplexers	ADG5412	ADG5412WBRUZ-REEL7	16-TSSOP_4.4-4.4_MM	20V Latchup Proof quad SPST	-40C to 125C
667	Switches/Multiplexers	ADG5433	ADG5433WBRUZ	16-TSSOP_4.4-4.4_MM	Triple SPDT & Quad SPDT Latch up proof M	-40C to 125C
668	Switches/Multiplexers	ADG612	ADG612WYRUZ-REEL	16-TSSOP_4.4-4.4_MM	+5V/+3V Quad SPST Switch, Low 1pC Qinj	-40C to 125C
669	Switches/Multiplexers	ADG659	ADG659WYRUZ-REEL7	16-TSSOP_4.4-4.4_MM	+3/5V +/-5V 4/8 Chnl Analog Mux	-40C to 125C
670	Switches/Multiplexers	ADG711	ADG711WBRUZ-REEL	16-TSSOP_4.4-4.4_MM	Low Voltage Quad SPST Switch	-40C to 85C
671	Switches/Multiplexers	ADG728	ADG728WBRUZ-REEL7	16-TSSOP_4.4-4.4_MM	SERIAL I2C, 8-ch MUX	-40C to 85C
672	Switches/Multiplexers	ADG736	ADW54010Z-0REEL	10-MINI_SO-N/A	LOW VOLTAGE DUAL SPDT I.C.	-40C to 125C
673	Switches/Multiplexers	ADG738	ADG738WBRUZ-REEL	16-TSSOP_4.4-4.4_MM	SERIAL SPI, 8-ch MUX	-40C to 105C
674	Switches/Multiplexers	ADG786	ADG786WBCPZ-REEL7	20-LFCSP-4X4X0.85	Triple SPDT Switch	-40C to 85C